


CPVC

HOT AND COLD WATER SYSTEM





ADVANTAGE



01.

CLEAN

Comply with hygienic standards for drinking water pipes. Recommended for use in medical system water supply and ultrapure water piping systems in the electronics industry

02.

INHIBIT BACTERIAL GROWTH

CPVC hot and cold water pipes can inhibit bacterial adhesion and growth

03.

HIGH TEMPERATURE

CPVC hot and cold water pipes have a long-term operating temperature of 95°C and a service life of up to 50 years.

04.

CORROSION RESISTANT

Resistant to acids, alkalis, salts and oxidants, the inner and outer walls remain smooth.

05.

FLAME RETARDANT

Good flame retardant properties, can be extinguished immediately after leaving the fire

06.

CONSTRUCTION

CPVC hot and cold water pipes are connected with special glue and are easy to install.

CONDUIT AND FITTINGS

PRODUCT COLOR: CUSTOMIZED



CPVC DIN PIPE

SIZE: 20x2.3,25x2.8
32x3.6,40x3.0,50x3.7,63x4.7
75x5.6,90x6.7,110x8.1



90 DEG ELBOW

SIZE: 20,25,32,40,50
63,75,90,110



COUPLING

SIZE: 20,25,32,40,50,
63,75,90,110



CROSS

SIZE: 1/2",3/4",1"
1-1/4",1-1/2",2"



45 DEG ELBOW

SIZE: 20,25,32,40,50
63,75,90,110



TEE

SIZE: 20,25,32,40
50,80,90,110



FEMALE ELBOW

SIZE: 20X1/2",25X1/2"
25X3/4",32*X1




CAP

SIZE: 1/2",3/4",1"
1-1/4",1-1/2",2"



REDUCER TEE

SIZE: 25x20,32x20,32x25,
40x20,40x25,40x32,50x25,
50x32,50x40,63x32,63x40,
63x50,75x40,75x50,75x63,
90x40,90x50,90x63,90x75,
110x63,110x75,110x90



REDUCER COUPLING

SIZE: 3/4"X1/2",1"X3/4",1"X1/2"
1-1/4"X1/2",1-1/4"X3/4",1-1/4"X1"
1-1/2"X1/2",1-1/2"X3/4",1-1/2"X1"
1-1/2"X1-1/4",2"X1/2",2"X3/4"
2"X1",2"X1-1/4",2"X1-1/2"



REDUCING BUSHING

SIZE: 3/4"X1/2",1"X3/4",1"X1/2"
1-1/4"X1/2",1-1/4"X3/4",1-1/4"X1"
1-1/2"X1/2",1-1/2"X3/4",1-1/2"X1"
1-1/2"X1-1/4",2"X1/2",2"X3/4"
2"X1",2"X1-1/4",2"X1-1/2"



REDUCER COUPLING

SIZE: 25X20,32X20,32X25
40X20,40X25,40X32
50X25,50X32,50X40
63X32,63X40,63X50
75X40,75X50,75X63
90X40,90X50,90X63,90X75
110X63,110X75,110X90



GREY JUNCTION BOX 013

SIZE: 1/2",3/4"



GREY JUNCTION BOX 014

SIZE: 1/2",3/4",1"



TO SCH80 COUPLING

SIZE: 1/2",3/4",1"
1-1/4",1-1/2",2"



FEMALE REDUCER BUSHING

SIZE: 25x1/2"
32X1/2",32X3/4"

CONDUIT AND FITTINGS

PRODUCT COLOR: **CUSTOMIZED**



MALE ADAPTER
SIZE: 20x1/2", 25x3/4", 32x1",
40x1-1/4", 50x1-1/2",
63x2", 75x2-1/2", 90x3"



GREY JUNCTION BOX 018
SIZE: 25x20, 32x20, 32x25
40x32, 50x40, 63x32, 63x50



FEMALE ADAPTER (BRASS) A
SIZE: 1/2", 3/4", 1",
3/4"x1/2", 1"x1/2"



FEMALE ADAPTER
SIZE: 1/2", 3/4", 1", 1-1/4",
1-1/2", 2"



UNION
SIZE: 20, 25, 32, 40, 50, 63



COMPRESSION COUPLING
SIZE: 1/2", 3/4"



FEMALE ELBOW (BRASS)
SIZE: 3/4"X1/2"



GREY JUNCTION BOX 004
SIZE: 20X1/2", 25X3/4", 32X1",
40X1-1/4", 50X1-1/2", 63X2",
75X2-1/2", 90X3", 110X4"



MALE ELBOW (BRASS) C
SIZE: 1/2"x1/2", 3/4"x1/2",
3/4"x3/4", 1"x1/2",
1"x3/4", 1"x1"



FEMALE TEE (BRASS) II
SIZE: 1/2"x1/2", 3/4"x1/2",
3/4"x3/4", 1",
1"x1/2", 1"x3/4"



MALE TEE (BRASS) C
SIZE: 1/2"X1/2", 3/4"X1/2",
3/4"X3/4", 1", 1"X1/2",
1"X3/4"



FEMALE ELBOW (BRASS) C
SIZE: 1/2"X1/2", 3/4"X3/4",
1"X1", 3/4"X1/2", 1"X1/2",
1"X3/4"



FEMALE TEE (BRASS) I
SIZE: 20x1/2",
25x3/4", 32x3/4"



FEMALE ELBOW (BRASS) I
SIZE: 25x1/2", 25x3/4",
32x3/4", 32x1"



FEMALE ADAPTER (BRASS) C
SIZE: 1/2", 3/4", 1",
3/4x1/2", 1"x1/2", 1"x3/4"




MALE ADAPTER (BRASS) C
SIZE: 1/2", 3/4", 1",
1-1/4", 1-1/2", 2", 1x1/2", 1x3/4"

CONDUIT AND FITTINGS

PRODUCT COLOR: **CUSTOMIZED**



MALE ADAPTER
SIZE: 1/2", 3/4", 1", 1-1/4",
1-1/2", 2", 3/4" x 1/2",
1" x 3/4"



BLIND FLANGE
SIZE: 25/32



OVER BEND
SIZE: 1/2", 3/4", 1",
1-1/4", 1-1/2", 2"



RUNNING TRAP
SIZE: 1", 1-1/4", 1-1/2", 2"



GREY JUNCTION BOX 017
SIZE: 1", 1-1/4", 1-1/2", 2"



GREY JUNCTION BOX 018
SIZE: 1/2", 3/4"



GREY JUNCTION BOX 019
SIZE: 1/2", 3/4", 1", 1-1/4",
1-1/2", 2"