


ULP HARDWARD



FOSHAN SDSH MATERIAL TECHNOLOGY CO., LTD

✉ ryanwong@ulpipes.com

📍 Room#3A01A,Building#30th, Fufeng square,Guicheng,
Nanhai District,Foshan,Guangdong

FOSHAN SDSH MATERIAL TECHNOLOGY CO., LTD



Contents:

1-2 4"x2" Rectangular Box

3-5 4" Octagonal Box

6-8 4" Square Box

9 4-11/16" Square Box

10 Covers of Electric Metal Boxes



FOSHAN SDSH MATERIAL TECHNOLOGY CO., LTD

Foshan SDSH Material Technology Co., Ltd. has over 15 years of experience in pipeline sales and is located in Foshan, Guangdong Province, China. Our ULP factory is strategically close to Nansha, Gaoming, and Shenzhen ports, ensuring fast and convenient shipment of goods. The factory covers an area of more than 10,000 square meters and employs over 100 staff members, supported by a professional technical and quality inspection team. With a monthly production capacity exceeding 10 million pieces, we also provide OEM/ODM services and factory inspection services. ULP has obtained ISO 9000, ETL, CE, and SGS certifications. Our primary markets include North America, South America, Southeast Asia, the Middle East, Africa, and more.



FOSHAN SDSH MATERIAL TECHNOLOGY CO.. LTD



Intermediate metal conduit (IMC Conduit)



Size	Outside Diameter		Wall Thickness		Length	
	(inch)	(mm)	(inch)	(mm)	(feet)	(mm)
1/2"	0.815	20.70	0.077	1.97	10	3050
3/4"	1.029	26.26	0.082	2.10	10	3050
1"	1.290	32.77	0.092	2.35	10	3050
1-1/4"	1.638	41.59	0.094	2.41	10	3050
1-1/2"	1.883	47.82	0.100	2.54	10	3050
2"	2.360	59.93	0.105	2.67	10	3050
2-1/2"	2.857	72.57	0.150	3.81	10	3050
3"	3.476	88.29	0.150	3.81	10	3050
3-1/2"	3.971	100.86	0.150	3.81	10	3050
4"	4.466	113.44	0.150	3.81	10	3050

Electrical metallic tubing (EMT Conduit)



Size	Outside Diameter		Wall Thickness		Length	
	(inch)	(mm)	(inch)	(mm)	(feet)	(mm)
1/2"	0.706	17.93	0.042	1.07	10	3050
3/4"	0.922	23.42	0.049	1.25	10	3050
1"	1.163	29.54	0.057	1.45	10	3050
1-1/4"	1.510	38.35	0.065	1.65	10	3050
1-1/2"	1.740	44.20	0.065	1.65	10	3050
2"	2.197	55.80	0.065	1.65	10	3050
2-1/2"	2.857	73.03	0.072	1.83	10	3050
3"	3.500	88.90	0.072	1.83	10	3050
3-1/2"	4.000	101.60	0.083	2.11	10	3050
4"	4.500	114.30	0.083	2.11	10	3050

Electrical conduit galvanized rigid conduit (GRC Conduit)



Size	Outside Diameter	Threads per Inch	Wall Thickness	Weight Per 100'	Lift Qty	Weight perlift
1/2"	0.840	14	0.104	82	2,500'	2,050
3/4"	1.050	14	0.107	109	2,000'	2,180
1"	1.315	11.5	0.126	161	1,250'	2,013
1-1/4"	1.660	11.5	0.133	218	900'	1,962
1-1/2"	1.900	11.5	0.138	263	800'	2,104
2"	2.375	11.5	0.146	350	600'	2,100
2-1/2"	2.875	8	0.193	559	370'	2,068
3"	3.500	8	0.205	727	300'	2,181
3-1/2"	4.000	8	0.215	880	250'	2,200
4"	4.500	8	0.225	1030	200'	2,060
5"	5.563	8	0.245	1400	150'	2,100
6"	6.625	8	0.266	1840	100'	1,840

EMT/IMC Fittings

ULP®
ulpipes.com

ULP®
ulpipes.com

EMT/IMC Junction box



90 DEGREE SQUEEZE CONNECTOR
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",4"



ZINC NM CABLE CONNECTOR CLAMP TYPE
SIZE:3/8",1/2",3/4",1",1-1/4"
1-1/2",2"



STEEL IMC COUPLING
SIZE:1/2",3/4",1",1-1/4",1-1/2"
2",2-1/2",3",3-1/2",4"



ZINC LIQUID TIGHT CONNECTOR 90 DEGREE TYPE
SIZE:3/8",1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",4"



METAL 3X2 GANG SWITCH JUNCTION BOX
SIZE:4"x4"x2-1/8"
or customized



METAL 3X2 GANG 1-GANG SWITCH BOX
SIZE:4"x2"x1-7/8"
or customized



4X2 CONDUIT HANDY BOX RECTANGULAR JUNCTION BOX
SIZE:4"x2"x1-7/8"
or customized



4X4 DEEP RIGID STEEL SQUARE CONDUIT BOX
SIZE:4"x4"x2-1/8"
or customized



EMT COMPRESSION COUPLING STEEL
SIZE:1",1-1/4"
1-1/2",2",2-1/2",3",4"



ZINC EMT COUPLINGS SET SCREW TYPE
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",4"



STEEL RIGID STRAP TWO HOLE TYPE
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",4"



ELECTRICAL METALLIC TUBING (EMT) ELBOW
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",3-1/2",4"



4X4 SQUARE CONDUIT ELECTRIC METAL BOX
SIZE:4"x4"x2-1/8"
or customized



4X4 SQUARE ELECTRIC JUNCTION BOX
SIZE:4"x4"x2-1/8"
or customized



4" SQUARE SWITCH JUNCTION BOX
SIZE:4"x4"x2-1/8"
or customized



4X2 CONDUIT HANDY BOX RECTANGULAR JUNCTION BOX
SIZE:4"x2"x1-7/8"
or customized



90 DEGREE EMT CORNER COUPLING SET SCREW TYPE
SIZE:1/2",3/4",1"



ZINC EMT TO FLEX COUPLING SET SCREW/SQUEEZE TYPE
SIZE:1/2",3/4",1"



Aluminum Service Entrance Cap Clamp Type
SIZE:1/2",3/4",1"
1-1/4",1-1/2",2",2-1/2",3",4"



ZINC LIQUID TIGHT CONNECTOR STRAIGHT TYPE
SIZE:3/8",1/2",3/4",1"
1-1/4",1-1/2",2",2-1/2",3",4"



4" SQUARE EXPOSED WORK COVER
SIZE:1"-4" or customized



METAL 4" SQUARE BOX FLAT BLANK COVER
SIZE:1"-4" or customized



METAL TOGGLE SWITCH WALL PLATE
SIZE:1"-4" or customized



4" SQUARE EXPOSED WORK COVER
SIZE:1"-4" or customized



ZINC SQUEEZE FLEX CONNECTOR STRAIGHT TYPE
SIZE:3/8",1/2",3/4",1"
1-1/4",1-1/2",2",2-1/2",3",4"



ZINC EMT CONNECTORS SET SCREW TYPE
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2",2-1/2",3",4"



LIQUID TIGHT FLEXIBLE STEEL CONDUIT
SIZE:1/4",3/8",1/2",3/4",1"
1-1/4",1-1/2",2",2-1/2",3",4"



GALVANIZED STEEL WELDED ELECTRICAL BOX COVER BLANK FLAT SQUARE
SIZE:1"-4" or customized



METAL 3X2 GANG 1-GANG SWITCH BOX
SIZE:4"x4"x2-1/8"
or customized



EMT CONDUIT BODY LB WITH GASKET AND COVER
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2"



EMT CONDUIT BODY LR WITH GASKET AND COVER
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2"



EMT CONDUIT BODY T WITH GASKET AND COVER
SIZE:1/2",3/4",1",1-1/4"
1-1/2",2"

4"x2"Rectangular Box-Galvanized Steel

ULP®
ulpipes.com

ULP®
ulpipes.com

4"x2"Rectangular Box-Galvanized Steel

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
001-1/2	4"x2"x1-1/2"	4"x2"Steel Handy/Utility Box 1-1/2"Deep	(8) 1/2"	(3) 1/2"
001-3/4	4"x2"x1-1/2"	4"x2"Steel Handy/Utility Box 1-1/2"Deep	(2) 1/2", (4) 3/4"	(2) 3/4"
001-1/2&3/4	4"x2"x1-1/2"	4"x2"Steel Handy/Utility Box 1-1/2"Deep	(6) 1/2", (2) 3/4"	(2) 1/2", (1) 3/4"



001-1/2
4"x2"x1-1/2"



001-3/4
4"x2"x1-1/2"



001-1/2&3/4
4"x2"x1-1/2"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
003-1/2	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8"Deep	(8) 1/2"	(3) 1/2"
003-3/4	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8"Deep	(6) 3/4"	(2) 3/4"
003-1/2&3/4	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8"Deep	(4) 1/2", (4) 3/4"	(2) 1/2", (1) 3/4"
003-K	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8"Deep With 2 Concentric Knockouts	(2) Combination KOS, (4) 1/2", (2) 3/4"	(2) 1/2", (1) 3/4"
003-L	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8"Deep With 4 Concentric Knockouts	(4) Combination KOS, (4) 1/2"	(3) 1/2"
003-BLANK	4"x2"x1-7/8"	4"x2"Steel Drawn Blank Box 1-7/8"Deep		
003-COM1	4"x2"x1-7/8"	4"x2x1-7/8"Handy Steel Box with Combination Knockouts	(6) Combination KOS	(1) Combination KOS
003-COM2	4"x2"x1-7/8"	4"x2x1-7/8"Handy Steel Box with Combination Knockouts	(6) Combination KOS	(2) Combination KOS
003P-1/2	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8" Deep With Raised Grouding Screw	(8) 1/2"	(2) 1/2"
003P-3/4	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8" Deep With Raised Grouding Screw	(6) 3/4"	(2) 1/2"
003P-1/2&3/4	4"x2"x1-7/8"	4"x2"Steel Handy/Utility Box 1-7/8" Deep With Raised Grouding Screw	(4) 1/2", (4) 3/4"	(2) 1/2"



003-1/2
4"x2"x1-7/8"



003-3/4
4"x2"x1-7/8"



003-1/2&3/4
4"x2"x1-7/8"



003-COM1
4"x2"x1-7/8"



003-COM2
4"x2"x1-7/8"



003P-1/2
4"x2"x1-7/8"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts
			Side
002-1/2	4"x2"x1-7/8"	4"x2"x1-7/8"Steel Handy/Utility Box Extension Ring	(8) 1/2"
002-3/4	4"x2"x1-7/8"	4"x2"x1-7/8"Steel Handy/Utility Box Extension Ring	(6) 3/4"
002-1/2&3/4	4"x2"x1-7/8"	4"x2"x1-7/8"Steel Handy/Utility Box Extension Ring	(4) 1/2", (4) 3/4"



002-1/2
4"x2"x2-1/8"



002-3/4
4"x2"x2-1/8"



002-1/2&3/4
4"x2"x2-1/8"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
004-1/2	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep	(8) 1/2"	(3) 1/2"
004-3/4	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep	(6) 3/4"	(2) 3/4"
004-1/2&3/4	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep	(4) 1/2", (4) 3/4"	(2) 1/2", (1) 3/4"
004-COM	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep With Combination Knockouts	(6) Combination KOS	(2) 3/4"
004P-1/2	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep With Raised Grouding Screw	(8) 1/2"	(2) 1/2"
004P-3/4	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep With Raised Grouding Screw	(6) 3/4"	(2) 1/2"
004P-1/2&3/4	4"x2"x2-1/8"	4"x2"Steel Handy/Utility Box 2-1/8"Deep With Raised Grouding Screw	(4) 1/2", (4) 3/4"	(2) 1/2"



004-1/2
4"x2"x2-1/8"



004-3/4
4"x2"x2-1/8"



004P-1/2&3/4
4"x2"x2-1/8"

4" Octagonal Box-Galvanized Steel

ULP®
ulpipes.com

ULP®
ulpipes.com

4"x2" Rectangular Box-Galvanized Steel

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
005-1/2	4"x4"x1-1/2"	4"Octagonal Outlet Box 1-1/2"Deep	(4) 1/2"	(3) 1/2", (2) 3/4"
005-3/4	4"x4"x1-1/2"	4"Octagonal Outlet Box 1-1/2"Deep	(4) 3/4"	(3) 1/2", (2) 3/4"
005-1/2&3/4	4"x4"x1-1/2"	4"Octagonal Outlet Box 1-1/2"Deep	(2) 1/2", (2) 3/4"	(3) 1/2", (2) 3/4"
005-COM1	4"x4"x1-1/2"	4"Octagonal Steel Box with Combination Knockouts	(4) Combination KOS	(3) 1/2", (2) 3/4"
005-COM2	4"x4"x1-1/2"	4"Octagonal Steel Box with Combination Knockouts	(4) Combination KOS	(4) Combination KOS (1) 1/2"
005P	4"x4"x1-1/2"	4"Octagonal Outlet Box 1-1/2"Deep with Raised Grounding Screw	(4) 1/2"&3/4", (4) 1/2" (2) 3/4"	(4) 1/2"OR (2) 1/2" (2) 3/4"
005-PC	4"x4"x1-1/2"	4"Octagonal Conduit Box 1-1/2"Deep with Raised Grounding Screw	(4) Combination KOS	(2) Combination KOS (2) 1/2"
005S	3"x3"x1-1/2"	3"Octagonal Ceiling Fan Box with 1/2"Knockouts	(4) 1/2"	(1) 1/2"
005-BLANK	4"x4"x1-1/2"	4"Octagonal Blank Metal Box		



005-1/2
4"x4"x1-1/2"



005-3/4
4"x4"x1-1/2"



005-1/2&3/4
4"x4"x1-1/2"



005-COM1
4"x4"x1-1/2"



005-COM2
4"x4"x1-1/2"



005P
4"x4"x1-1/2"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts
			Side
006-1/2	4"x4"x1-1/2"	4"Octagonal Steel Box Extension Ring 1-1/2"Deep	(4) 1/2"
006-3/4	4"x4"x1-1/2"	4"Octagonal Steel Box Extension Ring 1-1/2"Deep	(4) 3/4"
006-1/2&3/4	4"x4"x1-1/2"	4"Octagonal Steel Box Extension Ring 1-1/2"Deep	(2) 1/2", (2) 3/4"



006-1/2
4"x4"x1-1/2"



006-3/4
4"x4"x1-1/2"



006-1/2&3/4
4"x4"x1-1/2"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
007-1/2	4"x4"x1-7/8"	4"Octagonal Switch Box 1-7/8"Deep	(4) 1/2"	(2) 1/2", (2) 3/4"
007-3/4	4"x4"x1-7/8"	4"Octagonal Switch Box 1-7/8"Deep	(4) 3/4"	(2) 1/2", (2) 3/4"
007-1/2&3/4	4"x4"x1-7/8"	4"Octagonal Switch Box 1-7/8"Deep	(2) 1/2", (2) 3/4"	(2) 1/2", (2) 3/4"



007-1/2
4"x4"x1-7/8"



007-3/4
4"x4"x1-7/8"



007-1/2&3/4
4"x4"x1-7/8"

4" Octagonal Box-Galvanized Steel

ULP®
ulpipes.com

ULP®
ulpipes.com

4" Square Box-Galvanized Steel

THICKNESS:0.8mm-1.6mm

	Size	Description	Knockouts	
			Side	Bottom
008-1/2	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(4) 1/2"	(3) 1/2", (2) 3/4"
008-3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(4) 3/4"	(3) 1/2", (2) 3/4"
008-1/2&3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(2) 1/2", (2) 3/4"	(3) 1/2", (2) 3/4"
008P	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep with Raised Grounding Screw	(4) 1/2" or (4) 3/4" or (2) 1/2" (2) 3/4"	(4) 1/2" or (2) 1/2" (2) 3/4"
008-COM1	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep with Combination Knockouts	(4) Combination KOS	(3) 1/2", (2) 3/4"
008COM2	4"x4"x2-1/8"	4"Octagonal Steel Box 1-1/2"Deep with Combination Knockouts	(4) Combination KOS	(4) Combination KOS (1) 1/2"



THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
009-1/2	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep	(12) 1/2"	(3) 1/2", (2) 3/4"
009-3/4	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep	(8) 3/4"	(3) 1/2", (2) 3/4"
009-1/2&3/4	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
009D-1/2&3/4	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
009P-1/2	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep with Raised Grounding Screw	(12) 1/2"	(2) 1/2", (2) 3/4"
009P-3/4	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep with Raised Grounding Screw	(8) 3/4"	(2) 1/2", (2) 3/4"
009P-1/2&3/4	4"x4"x1-1/2"	4"Square Steel Electrical Box 1-1/2"Deep with Raised Grounding Screw	(8) 1/2", (4) 3/4"	(2) 1/2", (2) 3/4"



THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts
			Side
010-1/2	4"x4"x1-1/2"	4"Square Extension Ring 1-1/2"Deep	(12) 1/2"
010-3/4	4"x4"x1-1/2"	4"Square Extension Ring 1-1/2"Deep	(8) 3/4"
010-1/2&3/4	4"x4"x1-1/2"	4"Square Extension Ring 1-1/2"Deep	(8) 1/2", (4) 3/4"



4" Square Box-Galvanized Steel

ULP®
ulpipes.com

ULP®
ulpipes.com

4" Square Box-Galvanized Steel

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
011-1/2	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(12) 1/2"	(3) 1/2", (2) 3/4"
011-3/4	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(8) 3/4"	(3) 1/2", (2) 3/4"
011-1/2&3/4	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
011-1	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(8) 1"	(3) 1/2", (2) 3/4"
011-3/4&1	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(4) 3/4", (4) 1"	(3) 1/2", (2) 3/4"
011S-1/2&3/4	4"x4"x1-7/8"	4"Square Steel Electrical Box 1-7/8"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"



011-1/2
4"x4"x1-7/8"



011-3/4
4"x4"x1-7/8"



011-1/2&3/4
4"x4"x1-7/8"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
013-1/2	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(4) 1/2"	(3) 1/2", (2) 3/4"
013-3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(4) 3/4"	(3) 1/2", (2) 3/4"
013-1/2&3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(2) 1/2", (2) 3/4"	(3) 1/2", (2) 3/4"
013-COM	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep with Raised Grounding Screw	(4) 1/2" or (4) 3/4" or (2) 1/2" (2) 3/4"	(4) 1/2" or (2) 1/2" (2) 3/4"



013-1/2
4"x4"x2-1/8"



013-3/4
4"x4"x2-1/8"



013-1/2&3/4
4"x4"x2-1/8"

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
012-1/2	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(12) 1/2"	(3) 1/2", (2) 3/4"
012-3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(8) 3/4"	(3) 1/2", (2) 3/4"
012-1/2&3/4	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
012-1	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(8) 1"	(3) 1/2", (2) 3/4"
012-3/4&1	4"x4"x2-1/8"	4"Octagonal Steel Box 2-1/8"Deep	(4) 3/4", (4) 1"	(3) 1/2", (2) 3/4"
012P	4"x4"x2-1/8"	4"Square Steel Electrical Box 2-1/8"Deep with Raised Grounding Screw	(12) 1/2" or (8) 3/4" or (8) 1/2" (4) 3/4" or (8) 1" or (4) 3/4", (4) 1"	(2) 1/2", (2) 3/4"
012-PC	4"x4"x2-1/8"	4"Square Steel Electrical Box 2-1/8"Deep with Raised Grounding Screw	(8) Combination KOS	(2) 1/2", (2) 3/4"
012-COM1	4"x4"x2-1/8"	4"Square Steel Electrical Box 2-1/8"Deep with Combination Knockouts	(8) Combination KOS	(3) 1/2", (2) 3/4"
012-COM2	4"x4"x2-1/8"	4"Square Steel Electrical Box 2-1/8"Deep with Combination Knockouts	(8) Combination KOS	(4) Combination KOS (1) 1/2"



012-1/2
4"x4"x2-1/8"



012-3/4
4"x4"x2-1/8"



012-1/2&3/4
4"x4"x2-1/8"



012P
4"x4"x2-1/8"



012-PC
4"x4"x2-1/8"



012-COM1
4"x4"x2-1/8"

4-11/16" Square Box-Galvanized Steel

ULP®
ulpipes.com

ULP®
ulpipes.com

Covers of Electrical Metal Box

THICKNESS:0.8mm-1.6mm

Item NO.	Size	Description	Knockouts	
			Side	Bottom
015-1/2&3/4	4-11/16"x4-11/16" x1-1/2"	4-11/16"Square Steel Junction Box 1-1/2"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
015-1/2	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(12) 1/2"	(3) 1/2", (2) 3/4"
015-3/4	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(8) 3/4"	(3) 1/2", (2) 3/4"
015-1/2&3/4	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(8) 1/2", (4) 3/4"	(3) 1/2", (2) 3/4"
015-3/4&1	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(4) 3/4", (4) 1"	(3) 1/2", (2) 3/4"
015-1	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(8) 1"	(3) 1/2", (2) 3/4"
015-1&1-1/4	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8"Deep	(4) 1", (2) 1-1/4"	(3) 1/2", (2) 3/4"
015P	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8" Deep with Raised Grounding Screw	(12) 1/2"or(8) 3/4"or(8) 1/2" (4) 3/4"or(8) 1"or(4) 3/4", (4) 1"	(2) 1/2", (2) 3/4"
015-COM	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Steel Junction Box 2-1/8" Deep with Combination Knockouts	(8) Combination KOS	(3) 1/2", (2) 3/4"
015-1/2&3/4	4-11/16"x4-11/16" x2-1/8"	4-11/16"Square Extension Ring 2-1/8"Deep	(8) 1/2", (4) 3/4"	



015-1/2
4-11/16"x4-11/16"
x2-1/8"



015-3/4
4-11/16"x4-11/16"
x2-1/8"



015-3/4&1
4-11/16"x4-11/16"
x2-1/8"



015P
4-11/16"x4-11/16"
x2-1/8"



015-COM
4-11/16"x4-11/16"
x2-1/8"



015-1/2&3/4
4-11/16"x4-11/16"
x2-1/8"



16C5
1" - 4"



16C4(58C4)
4"x4"x2-1/8"



58C6
1/2"K.O.



16C1(58C1)
4"x2"



17C1(OCT)
Flat, 1/2"K.O.



17C1
Flat, 1/2"K.O.



17C6(OCT)
Flat, 3/4"K.O.



17C6
Flat, 3/4"K.O.



18C0
Raised 1/2"



18C1
Flat, 1/2"K.O.



18C1-1
1" - 4"



18C3
Raised 1/2"



18C6
Flat, 3/4"K.O.



BS77
3"x3"



18C6-1
4"



18C17
Raised 1/4", Raised 1/2"



18C62
1/4"



18C13
1/2"



19C6
Flat, 3/4"K.O.



19C1
Flat, 1/2"K.O.