



Professional stainless
steel product manufacturer



www.dusonmed.com

TEL: 86-15927344648

Email: eric Yao@du sonmed.com



ADD: No.25, Lane 13, Beixin District, Yangjia Development Zone, Hecun,
Danzao Town, Nanhai District, Foshan City, Guangdong, China

www.dusonmed.com

Foshan Duson Medical Technology Co., Ltd.

About Us:

Foshan Duson Medical Technology Co., Ltd. is located in Foshan. Our company specializes in R&D and production of medical rehabilitation aids and elderly safety products, covering categories such as rehabilitation care equipment and elderly home safety devices. We professionally undertake ODM and OEM orders. Our products sell well in Europe, North America, South America, Australia, Southeast Asia, and the Middle East.



Customization Advantages:

- 20 years
- 6,000m²
- 7-15 days
- 95%
- R&D and production experience
- Factory space
- Quick sampling time
- Customer repurchase rate

Our certification:



Product Contents:



Bathroom Safety Series

Page 4-23



Medical Decive Series

Page 24-26



Mobility Aid Series

Page 27-29



Bedoom Safety Series

Page 30-39

Bathroom Safety Series

Commode Chair

- 201/304 Stainless Steel
 - 5" wheels: stainless steel/Nylon+TPR
 - Customized parts: seat, backrest, castors, footrest and size
- Tube thickness: 1.0/1.5mm
 - Seat width: 40/45/51cm



DS1001

Tube thickness: 1.0mm
45cm PU seat & armrest
5" wheel: Nylon+TPR
Detachable feet with plastic pedal



DS1001A

Tube thickness: 1.0mm
45cm ABS seat & PU armrest
5" wheel: Nylon+TPR
Detachable feet with plastic pedal



DS1001B

Tube thickness: 1.0mm
40 PU seat & armrest
5" wheel: Nylon+TPR
Detachable feet with plastic pedal



DS1002

Tube thickness: 1.0mm
40 ABS seat & armrest
5" wheel: Stainless steel
Slide-in feet with plastic pedal

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1001	75	53	95	50	43	200KG	56X56X55
DS1001A	75	53	95	50	43	200KG	56X56X55
DS1001B	82	55	104	53	41	200KG	/
DS1002	75	50	95	51	40	200KG	56X51X55

Commode Chair

- 201/304 Stainless Steel
 - 5" wheels: stainless steel/Nylon+TPR
 - Customized parts: seat, backrest, castors, footrest and size
- Tube thickness: 1.0/1.5mm
 - Seat width: 40/45/51cm



DS1002A

Tube thickness: 1.0mm
40 ABS seat & PU armrest
5" wheel: Stainless steel +TPR
Slide-in feet with plastic pedal



DS1003

Tube thickness: 1.0mm
40 PE seat
5" wheel: Nylon+TPR
Slide-in feet with plastic pedal



DS1003A

Tube thickness: 1.0mm
40 ABS seat
5" wheel: Nylon+TPR
Slide-in feet with plastic pedal



DS1003B

Tube thickness: 1.0mm
40cm PU seat
5" wheel: Stainless steel
Slide-in feet with plastic pedal

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1002A	75	50	95	51	40	200KG	56X51X55
DS1003	64	48	93	54	40	200KG	65X52X55
DS1003A	64	48	93	54	40	200KG	65X52X55
DS1003B	64	48	93	54	40	200KG	65X52X55

Commode Chair

- 201/304 Stainless Steel
 - 5" wheels: stainless steel/Nylon+TPR
 - Customized parts: seat, backrest, castors, footrest and size
- Tube thickness: 1.0/1.5mm
 - Seat width: 40/45/51cm



DS1004

Tube thickness: 1.0mm
45cm PU seat & armrest
5" wheel: Nylon+TPR
Flip up foot pedal



DS1004A

Tube thickness: 1.0mm
5" wheel: Stainless steel +TPR
45cm PU seat & armrest
Flip up foot pedal



DS1005

304 Stainless Steel thickness: 1.5mm
46/55 PU seat
5" wheel: Nylon+TPR
Australian style,Super strong load-bearing



DS1001-24

Stainless Steel: 1.0mm
40 PU seat & armrest
5" wheel & 24" wheel with hand brake
Detachable feet with plastic pedal

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1004	76	53	92	50	43	200KG	56X56X55
DS1004A	77	54	99	50	43	200KG	56X56X55
DS1005	76	55/65	102	60	46/55	240KG	/
DS1001-24	105	58	95	50	43	200KG	81X58X94

Commode Chair

- aluminum
 - 4/5" wheels: stainless steel/Nylon+TPR
- Tube thickness: 1.2/1.5mm



DS1006

Tube thickness: 1.2mm
Soft seat, PE armrest & back
4" wheel: steel+Nylon
Flip up foot pedal



DS1006A

Tube thickness: 1.2mm
40 PU seat + PE armrest
5" wheel: Nylon+TPR
Flip up foot pedal



DS1006B

Tube thickness: 1.2mm
PE seat + PE armrest
Foldable style



DS1006C

Tube thickness: 1.2mm
PE seat + PE armrest
4" wheel : steel+Nylon
Foldable style

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1006	78	54	93	50	41	120KG	49X21X75
DS1006A	68	50	82	51	42	150KG	56X53X56
DS1006B	59	59	81	44	38	120KG	25X57X83
DS1006C	43	55	78-88	45-55	38	120KG	50X32X76

Commode Chair

● Aluminum or Steel

● Tube thickness: 1.2/1.5mm



DS1006C1

Aluminum: 1.2mm
PE seat + PE armrest
Foldable style



DS1007

Steel: 1.0mm
45cm PE seat & Sponge cushion
KD style



DS1007A

Aluminum: 1.2mm
PU seat & back
KD style



DS1008

Steel: 1.0mm
PE seat & armrest
KD style

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1006C1	43	55	78-88	45-55	38	120KG	50X32X76
DS1007	48	51	82	46	44	150KG	50X16X74
DS1007A	54	59	78-88	42-52	40	120KG	47X38X17
DS1008	52	56	74-89	41-56	40	200KG	56X18X67

Commode Chair

● Aluminum & Powder-Coated Frame

● Tube thickness: 1.2/1.5mm

● wheels: Nylon+TPR

● Seat width: 40/45/51cm

● Customized parts: seat, backrest, castors, footrest and size



DS1009

Tube thickness: 1.2mm
46 PU seat & armrest & backrest
5" wheel & 24" wheel with hand brake
Detachable feet with plastic pedal



DS3301-24

Tube thickness: 1.2mm
40 PU seat & armrest & backrest
5" wheel & 24" wheel with hand brake
Detachable feet with plastic pedal

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1009	90	88	105-132	50	46	120KG	86X31X76
DS3301-24	99	66	96	54	44	120KG	66X61X50
DS3301-5	90	62	96	54	44	120KG	62X59X37

Size(cm)

Raised Toilet Seat

- PP
- Tool-free installation



DS1010A-2



DS1010A-4



DS1010A-6

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1010A-2	40	36	12	7.5	36	120KG	41X13X37
DS1010A-4	40	36	15	10	36	120KG	41X16X37
DS1010A-6	40	36	18	13	36	120KG	41X19X37



DS1010B-2



DS1010B-4



DS1010B-6

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1010B-2	40	36	12.5	7.5	36	120KG	41X13X37
DS1010B-4	40	36	15.5	10	36	120KG	41X16X37
DS1010B-6	40	36	18.5	13	36	120KG	41X19X37

Raised Toilet Seat

- PE or PP
- Tool-free installation



PP + Aluminum

DS1010AH



PP + Aluminum

DS1010BH



PE

DS1010C

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1010AH	40	59	27	7/10/13	36	120KG	41X17X37
DS1010BH	40	59	27	7/10/13	36	120KG	41X17X37
DS1010C	44	41	18.5	12	41	120KG	43X19X45



PE + Aluminum

DS1010D



PP + Steel

DS1010E



PP

DS1010F

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1010D	45	51	28	12	50	120KG	52X19X46
DS1010E	47	57	37	16	41	120KG	43X26X49
DS1010F	40	36	12	7.5	36	120KG	41X13X37

Raised Toilet Seat

- PP or PE or PU
- Tool-free installation



DS1010G

Soft PU
4" height increase
2 Locks



DS1010GA

Soft PU
2" or 4" height increase
without locks



DS1010H

PE + Aluminum
4" height increase
1 Lock



DS1010JH

PP + Aluminum
Height-adjustable
Detachable armrest

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1010G	40	36	10	10	40	120KG	41X14X38
DS1010GA	46	40	12	10	40	120KG	46X13X40
DS1010H	44	54	39	12	40	120KG	42X24X44
DS1010JH	46	61	95	10	40	150KG	50X41X21

Rotating Bathroom Chair

- 201/304 Stainless Steel
- Tube thickness: 1.0mm



DS1020A

PP seat
Powder-Coated or Polishing
360° rotation



DS1020B

PP seat
Powder-Coated or Polishing
360° rotation
Height adjustable



DS1020C

PE seat & backrest
Powder-Coated or Polishing
360° rotation



DS1020D

PE seat & backrest
Powder-Coated or Polishing
360° rotation
Height adjustable

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1020A	55	70	51	13	40	200KG	74X57X35
DS1020B	47	54	75-85	38-48	40	200	57X55X34
DS1020C	55	70	52	18	40	200	74X57X35
DS1020D	51	54	75-85	43-53	40	200	51X36X21

Shower Bench

- PP or PE + Aluminum
- Tool-free installation



Aluminum Frame+PE seat

Aluminum Frame+PE seat

Aluminum Frame+PE seat

DS1021A

DS1021B

DS1021C



Aluminum Frame+PE seat

PP

PP+Blue seat 360° rotation

DS1021D

DS1022A

DS1022B

Size(cm)							
Model No.	Total Length	Total Width	Total Height	Seat Length	Seat Width	Bearing	DIM
DS1021A	70	24	17	41	21	120KG	70X36X46 10pcs
DS1021D	74	55	44	40	40	120KG	74X46X23
DS1022A	71	30	19	71	32	150KG	32X7X72
DS1022B	78	30	19	77	35	150KG	36X7X78

Shower Stool

- Stainless Steel or Aluminum
- Tool-free installation



Aluminum + PE seat

Aluminum + PP seat
360° rotation

Stainless Steel + PE seat

DS1023A

DS1023B

DS1024A

Size(cm)							
Model No.	Total Length	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1023A	48	48	38-52	38-52	R16	120KG	44X11X33
DS1023B	48	48	38-52	38-52	R16	120KG	41X8X37
DS1024A	42	26	17	17	41X23	120KG	26X17X43



Stainless Steel + PE seat

Stainless Steel + PE seat

Steel + PE seat

DS1024B

DS1024C

DS1024D

Size(cm)							
Model No.	Total Length	Total Width	Total Height	Seat Height	Seat Width	Bearing	DIM
DS1024B	42	37	21-26	21-26	41x23	120KG	43X33X24
DS1024C	42	52	30	16/30	41x23	120KG	42X31X53
DS1024D	38	33	22	22	35x27	120KG	40X24X34

Shower Stool

● Steel or Stainless Steel

● Tool-free installation



Steel + PE seat

DS1024E



Steel + PE seat

DS1024F



Steel&Stainless Steel+ PE seat

DS1025

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1024E	39	33	80	22	35x27	120KG	49X9X33
DS1024F	50	47	35	15/35	40X22	120KG	51X36X48
DS1025	41	50	42-58	37-53	50X31	120KG	41X19X37



Steel + PE seat & Soft cushion

DS1025A



Steel + PE seat & Soft cushion

DS1025AF



Stainless Steel+ PE seat

DS1025B

Size(cm)

Model No.	Total Length	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1025A	49	58	52.5	/	46x31	120KG	59X59X16
DS1025AF	49	58	82-92	40-50	46x31	120KG	59X59X21
DS1025B	33	39	8.5	/	35x25	120KG	39X9X33

Shower Chair

● PE seat + Aluminum, 1.2mm

● Tool-free installation



Shower Head Holder

DS1026



Rectangular seat

DS1026A



U-Shaped Seat

DS1026B

Size(cm)

Model No.	Total Length	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1026	45	51	38-56	34-52	50X31	120KG	55X11X34
DS1026A	45	51	39-56	34-52	50X31	120KG	55X12X33
DS1026B	45	51	38-56	34-52	50X31	120KG	55X12X33



U-shaped Seat
Detachable Back

DS1026C



Heacy Duty
Detachable Back

DS1026D



Soft Anti-slip Mat

DS1027

Size(cm)

Model No.	Total Length	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1026C	45	51	74-87	41-53.5	50X31	120KG	55X14X34
DS1026D	45	52	30	41	50X31	120KG	55X14X34
DS1027	45	51	38-56	34-52	50X31	120KG	55X11X34

Shower Stool

● PE seat + Aluminum,1.2mm

● Tool-free installation



Detachable Back
Soft Anti-slip Mat

DS1027A



Heacy Duty
Soft Anti-slip Mat

DS1027B



Heacy Duty
Soft Anti-slip Mat

DS1027C

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1027A	45	51	74-87	41-54	50X31	120KG	55X14X34
DS1027B	35	44	42-48	39-45	44X27	120KG	44.5X13X34
DS1027C	45	44	66-74	39-45	44X27	120KG	44.5X16X34



Detachable Back
Soft Anti-slip Mat

DS1028A



Heacy Duty
Soft Anti-slip Mat

DS1029



360° rotation
Soft PU Seat

DS1029A

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Seat Height	Seat Size	Bearing	DIM
DS1028A	49	50	72-84	41-54	40X32	120KG	36X17X49
DS1029	60	83	81-91	45-57	67X41	120KG	72X23X43
DS1029A	52	52	70-80	39-49	40X38	120KG	41X19X37

Grab Bar

● Length: 30/40/50/60cm

● Various materials



Aluminum
Diameter 32mm

DS1030A



Stainless Steel+PP/ABS
Diameter 25/32mm

DS1030B



Stainless Steel
Diameter 25/32mm

DS1030C



ABS
Diameter 32mm

DS1030D



Steel+Powder-Coated
Diameter 25/32mm

DS1030E



ABS+PE+TPE

DS1030G

Grab Bar

- Steel or Stainless Steel
- Need to drill holes for installation



Steel
Powder-Coated

DS1031

Model No.	Total Length	Total Width	Total Height	Diameter	Thickness	Bearing	Size(cm)
							DIM
DS1031	30.5	13	75	32mm	1.0mm	120KG	31x14x76
DS1031A	25.5	10.5	74	25mm	1.0mm	120KG	26x11x75
DS1031B	25.5	10.5	74	32mm	1.0mm	120KG	26x11x75



Steel
Powder-Coated

DS1031A



Stainless Steel
Polishing

DS1031B



Stainless Steel
Polishing

DS1031C



Stainless Steel +ABS/PP

DS1031D



Steel + Stainless Steel
Powder-Coated

DS1031E

Model No.	Total Lenth	Total Width	Total Height	Diameter	Thickness	Bearing	Size(cm)
							DIM
DS1031C	25.5	10.5	74	25mm	1.0mm	120KG	26x11x75
DS1031D	16.5	7.5	62	32mm	1.0mm	120KG	17x8x63
DS1031E	75	10.5	83-104	25mm	1.0mm	120KG	100x19x14

Bathtub Bar

- PE or Steel
- Tool-free installation



HDPE

DS1032

Model No.	Total Length	Total Width	Total Height	Middle Height	Clamp Size	Bearing	Size(cm)
							DIM
DS1032	21-27	16.5	56	27	6.5-16	120KG	22X20X57
DS1033	20-25.5	15.5	51	31	7.8-15	120KG	21X16X51
DS1033A	20-25.5	15.5	47-52	31	7.8-15	120KG	21X16X38



Steel Powder-Coated

DS1033



Steel Powder-Coated
Height adjustable

DS1033A



HDPE+
Aluminum

DS1034



HDPE+
Aluminum

DS1034A



HDPE+ Aluminum

DS1034B

Model No.	Total Length	Total Width	Total Height	Seat Height	Clamp Size	Bearing	Size(cm)
							DIM
DS1034	16-21	16	44-50	25	4.5-10	120KG	17X16X31
DS1034A	21	16	44-50	25	4.5-10	120KG	17X16X31
DS1034B	26	16	44-50	25	4.5-10	120KG	19X19X31

Toilet Handrail

● Steel or Aluminum

● Quick Assembly



DS1040

Steel Powder-Coated
Tube thickness: 1.0mm
Suction cup foot pad
Adjustable armrest height



DS1041

Steel Powder-Coated
Tube thickness: 1.0mm
Tool-free installation



DS1041A

Steel Powder-Coated
Tool-free installation
Tube thickness: 1.0mm
Adjustable armrest height



DS1042

Steel Powder-Coated
Tube thickness: 1.0mm
Adjustable armrest height

Toilet Handrail

● Steel or Aluminum

● Need to be fixed on the toilet



DS1043

Aluminum
Tube thickness: 1.2mm
Tool-free installation



DS1043A

Aluminum
Tube thickness: 1.2mm
Tool-free installation



DS1043B

Aluminum
Tube thickness: 1.2mm
Tool-free installation
Suction cup foot pad



DS1044

Steel Powder-Coated
PU armrest

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Armrest length	Inner Width	Bearing	DIM
DS1040	46	53	65-71	32	51	120KG	48X13X44
DS1041	49	70	65	38	50	120KG	49X12X68
DS1041A	49	59	61-73.5	38	52	120KG	50X10X62
DS1042	50	65	56-70	46	53.5	150KG	59X49X21

Size(cm)

Model No.	Total Depth	Total Width	Total Height	Armrest length	Inner Width	Bearing	DIM
DS1043	40.5	54-64	31	34	43-53	120KG	43X6X22
DS1043A	45	57-67	67-79.5	32	42.5-52.5	120KG	43X7X37
DS1043B	53	57-67	67-79.5	32	42.5-52.5	120KG	64X10X47
DS1044	51	57.5	/51	37	44.5	120KG	70X13X27

Medical Decive Series

IV Pole

Pole Part: Stainless Steel

Quick Assembly



DS2001 Steel Base



DS2001A Steel Base



DS2002 Steel Base

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Base Height	Hooks	Bearing	DIM
DS2001	60	60	108-180	9	2/4	15KG	41X13X37
DS2001A	60	60	110-180	10.5	2/4	15KG	41X16X37
DS2002	R26	R26	118-185	17	2/4	15KG	41X19X37



DS2003 Plastic Base



DS2004 Steel Base
KD Style



DS2004A Stainless Steel Base
KD Style

Size(cm)							
Model No.	Total Depth	Total Width	Total Height	Base Height	Hooks	Bearing	DIM
DS2003	R26	R26	118-185	13	2/4	15KG	41X13X37
DS2004	R26	R26	117-185	17	2/4	15KG	41X16X37
DS2004A	R26	R26	117-185	17	2/4	15KG	41X19X37

Medical Tray

Stainless Steel Pole & Tray + Steel

Quick Assembly



Steel Base
DS2010



Stainless Steel Base,KD
DS2011



Steel Base,KD
DS2012

Size(cm)							
Model No.	Base Size	Base Height	Total Height	Base Height	Tray Size	Bearing	DIM
DS2010	R26	17	88-110	17	36	10KG	53X13X47
DS2011	52X40	24	88-110	24	36	10KG	68X15X35
DS2012	R26	17	73-110	17	41	10KG	53X10X39



Stainless Steel Base,KD
DS2012A



Stainless Steel Base,KD
DS2013



Plastic Base
DS2014

Size(cm)							
Model No.	Base Size	Base Height	Total Height	Base Height	Tray Size	Bearing	DIM
DS2012A	R26	17	73-110	17	50	10KG	53X10X39
DS2013	47X35	21.5	84-110	21.5	41	10KG	53X10X39
DS2014	R26	13	73-110	13	36	10KG	53X13X47

Oxygen Tray & Others

- Steel or Stainless Steel
- Quick Assembly



DS2030

Steel Powder-Coated
Tube thickness: 1.0mm
Adjustable height



DS2030A

Steel, surface electroplated
Tube thickness: 1.0mm
Adjustable height

							Size(cm)
Model No.	Total Length	Total Width	Total Height	Ring Diameter	Ring Height	Bearing	DIM(2PCS)
DS2030	30	29	93.5-116.5	12/15	41	30KG	30X20X66
DS2030A	30	29	93.5-116.5	12/15	41	30KG	30X20X66



DS2040

Steel, surface electroplated
Tube thickness: 1.0mm



DS2050

Stainless Steel Polishing
Tube thickness: 1.0mm

							Size(cm)
Model No.	Total Length	Total Width	Total Height	Seat Height	Mattress Size	Bearing	DIM
DS2040	51	47.5	98	/	/	50KG	56x49x23
DS2050	190	68	94.5	77	186x60	120KG	191x69x23

Mobility Aid Series

Walking Stick

- Aluminum or Wooden
- 20 pcs/ctn



DS3001 Wooden



DS3002



DS3002A Size(cm)

Model No.	Total Length	Total Width	Total Height	Grip Height	Grip Length	Bearing	DIM(20PCS)
DS3001S	19	4.5	98-118	60-94	10	120KG	105X33X27
DS3001M	19	4.5	113-133	60-94	10	120KG	119X33X27
DS3001L	19	4.5	128-148	67-101	10	120KG	134X33X27



DS3003



DS3003A



DS3003B Size(cm)

Model No.	Total Length	Total Width	Total Height	Base Size	Grip Length	Bearing	DIM(20PCS)
DS3002/A	13	51	28	φ3.8 / 12X12	13	120KG	76X25X30
DS3003	47	57	37	15.5X10.5	13	120KG	76X29X40
DS3003A/B	13	11	12	12X12 / 10X10	13	120KG	76X25X30

Crutch & Walking aids

● Aluminum or Stainless Steel



20PCS:100X32X32
DS3005



20PCS:100X32X32
DS3005



20PCS:100X32X32
DS3005A



10PCS:85X26X40
DS3006



20PCS:73x44x40
DS3007



10PCS:78x29x30
DS3008



10PCS:78x29x43
DS3008A



10PCS:78x29x43
DS3008B



10PCS:72x30x34
DS3009

Size: cm

Walker

● Steel or Aluminum

● Quick Assembly



Steel Powder-Coated
DS3010



Steel, surface electroplated
DS3011



DS3012 Size(cm)

Model No.	Total Length	Total Width	Total Height	Grip Spacing	Inner Width	Bearing	DIM
DS3010	70	60	84-120	15	47	120KG	62x22x73
DS3011	72	60	103-120	27	36	120KG	72X22X86
DS3012	59	70	81-98	58	55	120KG	64X10X80



DS3013



DS3014



DS3015 Size(cm)

Model No.	Total Length	Total Width	Total Height	Grip Spacing	Inner Width	Bearing	DIM
DS3013	52	57	81-98	49	44	120KG	53X10X80
DS3014	50	72	79-84	47	43	120KG	75X12X80
DS3015	59	72	82-92	48	45	120KG	71X10X84

Medical Decive Series

Overbed Table

- Steel Powder-Coated
- H-Shaped Base
- Gas Pressure Switch to adjust height



DS4001A

Steel Powder-Coated
Tube thickness: 1.0mm
Height-adjustable
Medium Density Fiberboard



DS4001A-1

Steel Powder-Coated
Tube thickness: 1.0mm
Height-adjustable
Medium Density Fiberboard



DS4001B

Steel Powder-Coated
Tube thickness: 1.0mm
Height-adjustable
Two Desktop,The Big one is rotatable



DS4001C

Steel Powder-Coated
Tube thickness: 1.0mm
Height-adjustable
PE Desktop

Model No.	Total Length	Total Width	Total Height	Base Size	Desk Size	Bearing	Size(cm)
							DIM
DS4001A	78	40	75-105	60.5X40X9	77X38.5	15KG	81x13.5x43
DS4001A-1	77	40	75-105	60.5X40X9	76.5X38	15KG	81x13.5x43
DS4001B	83	40	80-110	60.5X40X9	81X38	15KG	85x13.5x43
DS4001C	78	40	79-109	60.5X40X9	76.5X40	15KG	83x13.5x43

Overbed Table

- Steel Powder-Coated
- H-Shaped Base



DS4001D

Steel Electroplating
Tube thickness: 1.0mm
Height-adjustable by Gas
Medium Density Fiberboard



DS4002

Steel Powder-Coated
Tube thickness: 1.0mm
Manual height adjustment
Medium Density Fiberboard



DS4002B

Steel Powder-Coated
Tube thickness: 1.0mm
Manual height adjustment
Two Desktop,The Big one is rotatable



DS4003

Steel Powder-Coated
Tube thickness: 1.0mm
Manual height adjustment
Rotating Desktop

Model No.	Total Length	Total Width	Total Height	Base Size	Desk Size	Bearing	Size(cm)
							DIM
DS4001D	78	40	80-110	60.5X40X9	77X38	15KG	81x13.5x43
DS4002	77	40	78-100	60.5X40X9	77X39	15KG	81x13.5x43
DS4002B	83	40	78-100	60.5X40X9	81X38	15KG	85x13.5x43
DS4003	63	40	75-100	60.5X40X9	60X40	15KG	66X10X50

Overbed Table

- Steel Powder-Coated
- Gas Pressure Switch to adjust height



DS4003A

Steel Powder-Coated
Tube thickness: 1.0mm
Height-adjustable by Gas
Rotating Desktop



DS4007

Steel Powder-Coated
Tube thickness: 1.0mm
Manual height adjustment
Foldable Style with Rotating Desktop



DS4006

Steel Powder-Coated
U-shaped Base,mute wheel
Height-adjustable by Gas
PE Desktop



DS4006A

Steel Powder-Coated
U-shaped Base,nylon wheel
Height-adjustable by Gas
PE Desktop

Size(cm)

Model No.	Total Length	Total Width	Total Height	Base Size	Desk Size	Bearing	DIM
DS4003A	67	40	80-110	60.5X40X9	60X40	15KG	70X10X50
DS4007	60	50	66-91	56X44X10.5	60X40	10KG	91X11.5X63
DS4006	78	40	80-110	73X40X14	77X40	20KG	81X17X43
DS4006A	78	40	78-108	73X40X12.5	77X40	20KG	81X17X43

Overbed Table

- Steel Powder-Coated
- H-Shaped Base



DS4006B

Steel Powder-Coated
U-shaped Base,nylon wheel
Height-adjustable by Gas
Large PE Desktop



DS4004

Steel Powder-Coated
U-shaped Base,plastic wheel
Manual economy style



DS4005

Steel Powder-Coated
U-shaped Base,plastic wheel
Manual economy style



DS4008

Steel Powder-Coated
Adjustable base for sofa
Height-adjustable by Gas
Rotating Desktop

Size(cm)

Model No.	Total Length	Total Width	Total Height	Base Size	Desk Size	Bearing	DIM
DS4006B	82.5	42	77-107	73X40X12.5	82X42	20KG	85X17X45
DS4004	67	40	65-100	61X36X9	60X40	10KG	62X20X40
DS4005	63	40	53-73	59X43X9	60X40	10KG	81x13.5x43
DS4008	65-95	48	87-107 67-87	(55-85)X48	55X40	10KG	71X48X10.5

Bed Rail

● Steel Powder-Coated

● Tool-free installation



DS4010

Steel Electroplating
Tube thickness: 1.0mm
Adjustable length and height
Equipped with safety belt



DS4011

Tube thickness: 1.0mm
Adjustable length and height
Equipped with safety belt



DS4012

Tube thickness: 1.0mm
Adjustable length and height
with safety belt and bag



DS4013

Tube thickness: 1.0mm
Adjustable length and height
with safety belt and bag

Size(cm)					
Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4010	87	51	44-54	120KG	53X7X37
DS4011	83-93	51	60-93	120KG	54X6X60
DS4012	68	32	78-104	120KG	37X9X45
DS4013	57	72	51	120KG	41X8X54

Bed Rail

● Steel Powder-Coated

● Tool-free installation



DS4013A

Tube thickness: 1.0mm
Adjustable length and height
with safety straps and bag



DS4013B

Tube thickness: 1.0mm
Adjustable length and height
with safety straps and bag



DS4014

Foldable Style
Adjustable armrest width
Big bag with safety belt



DS4015

Tube thickness: 1.0mm
Adjustable length and height
with safety straps and bag

Size(cm)					
Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4013A	57	72	51	120KG	41X8X54
DS4013B	57	72	51	120KG	41X8X54
DS4014	65	66/85/104	47	120KG	69X8X49
DS4015	70	59-74	54	120KG	59X6X49

Bed Rail & Backrest

● Steel Powder-Coated

● Easy to use and install



DS4016

Foldable Style
Adjustable armrest height
with safety belt



DS4017

KD Style
Adjustable armrest height
with safety belt and bag



DS4020

Foldable Style
Adjustable height



DS4023

Supportive Leg Rest
Perfect for Living room or Office
Cushion legs,feet and heels



Size(cm)

Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4016	60	32	35-44	120KG	33X7X42
DS4017	70	32	42-58	120KG	33X8X41
DS4020	47	61	55	100KG	61X8X60
DS4023	46	47	51	40KG	50X6X40

Stair Assist Cane

● Aluminum Powder-Coated or Oxidation

● Easy to use and install



DS4025

Stand Assist for Couch,Chair
Adjustable height and length
for Safety Sit & Stand



DS4030

Lightweight and sturdy
Adjustable leg spacing
Anti slip gripper
Height difference design



DS4031

Lightweight and sturdy
Adjustable width
Anti slip gripper
Adjustable leg and grip height
Bottom can be leveled



DS4032

Lightweight and sturdy
Adjustable width and leg
Anti slip gripper
Bottom can be leveled

Size(cm)

Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4025	51.5-63.5	52-66	29-36.5	90KG	43X6X27
DS4030	40	22	116	100KG	35X11X55
DS4031	32-44	21	81-96	120KG	28X10X44.5
DS4032	27.5-37.5	27	70-110	120KG	29X7.5X62

Room Handrails & Transfer



DS4040

Room Handrail
Lightweight and sturdy
Anti slip gripper
Adjustable armrest height



DS4041

Room Handrail
Sturdy
Anti slip gripper
Adjustable armrest height



DS4041A

Room Handrail
Sturdy
Anti slip gripper
Adjustable armrest height



DS4050

Transfer: Sit to Stand
Smooth Rotating Pivot Disc
Anti-Slip Stable Base
Fit Tight Spaces Easily

Size(cm)					
Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4040	48	35	75-80	120KG	47.5X11X38
DS4041	60	50	74-89	120KG	125X55X33 (12pcs)
DS4041A	60	50	91	120KG	125X55X33 (12pcs)
DS4050	45	40	86.5-116.5	120KG	82X43X16

Step to Bed & Others



DS4051

Wooden Transfer Board
Easily Transfer To & From Wheelchairs
Lightweight, Durable & Portable
Smooth Edges & Rounded Corners



DS4060

Large Step to Bed with Two Handrails
Heavy Duty and Stable
Adjustable height of step and handrail
Adjustable width crossbar that can rotate



DS4061

Medium-sized Step to Bed with One Handrail
Heavy Duty and Stable
Adjustable height of step and handrail
Adjustable width crossbar that can rotate

Size(cm)					
Model No.	Total Length	Total Width	Total Height	Bearing	DIM
DS4051	50/75/90	19	2.5	120KG	/
DS4060	89	44	98.5-114	160KG	88X13X49
DS4061	67	52	111-122	160KG	56X13X64
DS6001	φ25	/	88-153	5KG	37X8.5X31



DS6001

Tablet Floor Stand
Main body aluminum+steel
360 ° rotation & height adjustable
25cm diameter base