

BATTERY

555®

Tiger Head
BATTERY

CONTENTS

01 COMPANY PROFILE

05 A+ ALKALINE BATTERIES

07 ALKALINE BATTERIES

11 G ALKALINE BATTERIES

13 GAS STOVE BATTERIES

15 SUPER QUALITY BATTERIES

19 EXTRA++ HIGH POWER BATTERIES

25 PLUS HEAVY DUTY BATTERIES

27 SUPER HEAVY DUTY BATTERIES

29 BUTTON CELLS

30 TIGER HEAD PRODUCT LINEUP

GUANGZHOU TIGER HEAD BATTERY GROUP CO., LTD.

• NO.132 North, Gongye Road, Haizhu District, Guangzhou, China
• 86-20-85531602 85535961
• 86-20-85539959 85524224

• gzit@555bf.com.cn
• export@555bfcom.cn
• <https://www.tigerheadbattery.com/>



INTRODUCTION

Guangzhou Tiger Head Battery Group Co.,Ltd.,with authorized self-import & export right, is the key enterprise for dry batteries in China. It realizes the annual sales over 6 billion pieces of dry batteries, which makes it the leading battery enterprise in China, not only in the concern of sales volume and export volume, but also of export value and main business incomes.

The company's main products involve all kinds of dry batteries, lead-acid storage batteries, Ni-MH batteries, polymer Li-ion batteries, branded by "555", "Tiger Head", "TIHAD", and "Lighting", and some battery-related small household appliances, such as jump starters, energy saving bulbs, LED lights, candles, mosquito coils, footballs, and so on. In 2010, the company developed a new generation of low-carbon product named Lighting Battery which acts as lighting without affecting the normal function for power supply, facilitating emergency, adventure, atmosphere, and maintenance, etc.. In 2012, the Art Battery was presented not only with basic function of normal battery, but also with function of art ornament and emergency.

The trademark "Tiger Head" of the company is the first "Chinese Well-known Trademark" in Guangzhou as well as in the country's battery industry. At the same time, it is identified as "Chinese Export Brand". Besides, the trademark "555" is the "Famous Trademark" in Guangzhou city as well as in Guangdong province. Moreover, "555" brand alkaline battery is awarded as "Chinese Top Brand Product" and listed on the first batch of eco-friendly alkaline batteries. The zincmanganese series and alkaline zinc-manganese series of batteries have received the Certificate for the Exemption from Export

Inspection, which makes the only one enterprise of export inspection exemption in Guangzhou out of Guangzhou Tiger Head Battery Group Co.,Ltd.. Furthermore, the "555" and "Tiger Head" brands are also the "Time-honored Brand" of Guangzhou.

The company has introduced the most advanced production line of mercury free zinc-manganese alkaline battery, thus providing the consumers with environment friendly batteries of high performance. The company adopts in production the special explosion-proof structure, new material, new formula, new technique and the special sealing technology, all in the leading position in the world, which makes true the Mercury-free and Pollution-free in battery production five years ahead of the national schedule. Recently, the company invested RMB 1.5 million independently developing the Real-time Monitoring Management System via IT new technology, which includes several parts of on-the-spot production management, operation instruction, and figures analysis, etc. This system, via visual image transformation and vivid industry control charts, can help monitoring persons to get accurate first-hand information about the production; even they are not on the production spot. Thus, it helps to improve management efficiency and reduce management cost.

For years, the company is cared and supported by leaders at all levels. The party and state leaders as well as provincial and municipal leaders, such as Wen Jiabao, Li Changchun, Wu Yi, Zhang Dejiang, Zou Jiahua, Huang Huahua, Zhu Xiaodan, Zhang Guangning etc., have paid visits to the company, bringing great incentive. On December 11, 2002, Zou Jiahua, vice chairman of National People's Congress, inspected the company with the inscription of "Clean Production Model and Modern Environmental Pioneer", while on October 15, 2006, Premier Wen Jiabao visited the company and praised by words of "let old brand glow with youth by integrating production with trade, by brand strategy and technological innovation". On Sep.22, 2011, Mr Zhang Dejiang, Vice premier of China, visited our company and affirmed our achievements.



HISTORY DEVELOPMENT

1928

In 1928, Xinghua Battery Factory was established.

1968

In 1968, Guangzhou's 49 battery factories were merged into "Guangzhou Battery Factory" after many years of adjustment.

1984

In 1984, it became the first company in the industry that owned the right to import and export.

1986

In 1986, Hong Kong Hi-watt Battery Industrial Co., Ltd. was established.

1988

In 1988, Guangzhou 555 Battery Group was incorporated.

1992

In 1992, Guangzhou Battery Industry and Trade Group Corporation was established.

1999

In 1999, Guangzhou Battery Co., Ltd. was incorporated.

2000

In 2000, Guangzhou Tiger Head Battery Group Co., Ltd. was incorporated.

Now

At present, it realizes the annual sales over 6 billion pieces of dry batteries, and export value over 400 million U.S. dollars, which makes it the leading battery enterprise in China. It ranks the 7th among China's Top 100 Enterprises Export to Africa.



A+ ALKALINE BATTERIES



LR6/3642 AA SIZE/AM-3



LR03/3662 AAA SIZE/AM-4

TYPE NO.	LR6		
REMARK	ALUMINUM JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	*2	*4	*4
BATTERIES PER BOX(PCS)	40	48	48
BATTERIES PER CARTON (PCS)	480	384	768
GROSS WEIGHT (kg)	12.7	10.4	20.3
MEASURE-MENTS(cm)	33x23x16	39x27.5x12	37x28.2x23
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	420/440/450min		

TYPE NO.	LR03		
REMARK	ALUMINUM JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	*2	*4	*4
BATTERIES PER BOX(PCS)	40	48	48
BATTERIES PER CARTON (PCS)	480	384	768
GROSS WEIGHT (kg)	6.7	5.4	10.7
MEASURE-MENTS(cm)	26x22x16	33x25.5x9.5	37x26.2x19
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	160min		



LR6/3642 AA SIZE/AM-3
2PCS Blister Card



LR6/3642 AA SIZE/AM-3
4PCS Blister Card



LR6/3642 AA SIZE/AM-3
4PCS Paper Blister Card



LR03/3662 AAA SIZE/AM-4
2PCS Blister Card



LR03/3662 AAA SIZE/AM-4
4PCS Blister Card



LR03/3662 AAA SIZE/AM-4
4PCS Paper Blister Card

Note: The items with asterisk * are blister card packing.

ALKALINE BATTERIES



UP TO 12X LONG LASTING

VS. CARBON ZINC BASED ON IEC TEST



LR20/3616 D SIZE/AM-1
2PCS Shrink Pack

TYPE NO.	LR20	
VOLTAGE(v)	1.5	
BATTERIES PER PACK (PCS)	2	*2
BATTERIES PER BOX (PCS)	12	12
BATTERIES PER CARTON(PCS)	144	96
GROSS WEIGHT(kg)	20.5	14.0
MEASURE-MENTS(cm)	32.5x28.5x16.5	41x32x13
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	37h	



LR14/3626 C SIZE/AM-2
2PCS Shrink Pack

TYPE NO.	LR14	
VOLTAGE(v)	1.5	
BATTERIES PER PACK (PCS)	2	*2
BATTERIES PER BOX (PCS)	24	12
BATTERIES PER CARTON(PCS)	288	192
GROSS WEIGHT(kg)	19.5	14.3
MEASURE-MENTS(cm)	33x22.5x20	41x27.5x19.5
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	18h	



LR6/3646 AA SIZE/AM-3
4PCS Shrink Pack

TYPE NO.	LR6									
VOLTAGE(v)	1.5									
BATTERIES PER PACK (PCS)	4		*2		*4		*6			
BATTERIES PER BOX (PCS)	24		24		48		60			
BATTERIES PER CARTON (PCS)	720	960	384		720		384		360	
GROSS WEIGHT (kg)	18.5	23.5	10.8	11	19.5	20	10.1	10.3	9.5	
MEASURE-MENTS (cm)	31.5 x19.5 x18	45.5 x25 x13	33 x27.5 x22.5	29 x27.5 x22	36 x27.5 x32	41 x27.5 x33	39 x27.5 x12	27.5 x21.5 x22.5	26.5 x24.5 x19	
TEST CONDITION	3.9Ω 24h/d									
CUT-OFF	0.9V									
DURATION	370-380min									



LR03/3666 AAA SIZE/AM-4
4PCS Shrink Pack

TYPE NO.	LR03									
VOLTAGE(v)	1.5									
BATTERIES PER PACK (PCS)	4		*2		*4		*6			
BATTERIES PER BOX (PCS)	24		24		48		60			
BATTERIES PER CARTON (PCS)	960	720	384		720		384		360	
GROSS WEIGHT (kg)	12.5	9.5	6	6.1	10.5	11.3	5.2	5.6	5.1	
MEASURE-MENTS (cm)	34 x19.5 x11.5	24 x14.5 x16.5	27 x24.5 x17	33 x27.5 x18	33.5 x24.5 x24.5	41 x27.5 x26	33 x25.5 x9.5	27.5 x21.5 x18	25 x23.5 x14.5	
TEST CONDITION	3.9Ω 24h/d									
CUT-OFF	0.9V									
DURATION	140-150min									




LR20/3616 D SIZE/AM-1
2PCS Blister Card



LR14/3626 C SIZE/AM-2
2PCS Blister Card



6LR61 9V
1PC Blister Card



LR6/3646 AA SIZE/AM-3
2PCS Blister Card



LR6/3646 AA SIZE/AM-3
4PCS Blister Card



LR6/3646 AA SIZE/AM-3
4PCS Blister Card



LR6/3646 AA SIZE/AM-3
4PCS Blister Card



6LR61 9V
1PC Shrink Pack

TYPE NO.	6LR61	
VOLTAGE(v)	9	
BATTERIES PER PACK (PCS)	1	*1
BATTERIES PER BOX (PCS)	24	12
BATTERIES PER CARTON (PCS)	480	144
GROSS WEIGHT(kg)	24.5	8.5
MEASURE-MENTS(cm)	37.5x17.5x23	36.5x29x22.5
TEST CONDITION	620Ω 2h/d	
CUT-OFF	5.4V	
DURATION	47h	



LR03/3666 AAA SIZE/AM-4
2PCS Blister Card




LR03/3666 AAA SIZE/AM-4
4PCS Blister Card




LR03/3666 AAA SIZE/AM-4
4PCS Blister Card



LR03/3666 AAA SIZE/AM-4
4PCS Blister Card



LR6/3646 AA SIZE/AM-3
6PCS Blister Card



LR03/3666 AAA SIZE/AM-4
6PCS Blister Card

G ALKALINE BATTERIES



LR6/3648 AA SIZE/AM-3
4PCS Shrink Pack

TYPE NO.	LR6
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	*4
BATTERIES PER BOX(PCS)	48
BATTERIES PER CARTON (PCS)	288
GROSS WEIGHT (kg)	6.9
MEASURE-MENTS(cm)	29.5x14.5x22
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	300min



LR03/3668 AAA SIZE/AM-4
4PCS Shrink Pack

TYPE NO.	LR03
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	*4
BATTERIES PER BOX(PCS)	48
BATTERIES PER CARTON (PCS)	288
GROSS WEIGHT (kg)	3.8
MEASURE-MENTS(cm)	25x13.5x17
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	100min



LR6/3648 AA SIZE/AM-3
4PCS Blister Card



LR03/3668 AAA SIZE/AM-4
4PCS Blister Card

Note: The items with asterisk * are blister card packing.

GAS STOVE BATTERIES



R20P/3118C3 D SIZE/UM-1

TYPE NO.	R20P	
REMARK	METAL JACKET	
VOLTAGE(v)	1.5	
BATTERIES PER PACK(PCS)	*1	*2
BATTERIES PER BOX(PCS)	10	12
BATTERIES PER CARTON (PCS)	160	144
GROSS WEIGHT (kg)	18.2	15.6
MEASURE-MENTS(cm)	44x26x31.5	31.5x31x24
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	980min	



R20P/3118C3 D SIZE/UM-1
1PC Blister Card



R20P/3118C3 D SIZE/UM-1
2PCS Blister Card

Note: The items with asterisk * are blister card packing.

SUPER QUALITY BATTERIES



**BETTER BATTERY
PREMIUM MATERIALS**



R20S/301 D SIZE/UM-1
2PCS Shrink Pack

TYPE NO.	R20S
REMARK	PAPER JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX (doz.)	1
BATTERIES PER CARTON(doz.)	24
GROSS WEIGHT(kg)	23
MEASURE-MENTS(cm)	41.5x28x21
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	250min



R14S/302 C SIZE/UM-2
2PCS Shrink Pack

TYPE NO.	R14S
REMARK	PAPER JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX (doz.)	2
BATTERIES PER CARTON(doz.)	40
GROSS WEIGHT(kg)	19.5
MEASURE-MENTS(cm)	33.5x23.5x30
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	120min



R6S/304 AA SIZE/UM-3
4PCS Shrink Pack

TYPE NO.	R6S
REMARK	PAPER JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX (doz.)	2
BATTERIES PER CARTON(doz.)	100
GROSS WEIGHT(kg)	17
MEASURE-MENTS(cm)	31.5x19x28.5
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	60min



R03/306 AAA SIZE/UM-4
4PCS Shrink Pack

TYPE NO.	R03
REMARK	PAPER JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX (doz.)	5
BATTERIES PER CARTON(doz.)	180
GROSS WEIGHT(kg)	15.3
MEASURE-MENTS(cm)	33.5x28x16.5
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	30min

SUPER QUALITY BATTERIES



R20S/3110 D SIZE/UM-1
2PCS Shrink Pack



R6S/3140 AA SIZE/UM-3
4PCS Shrink Pack



R03/3760 AAA SIZE/UM-4
4PCS Shrink Pack

TYPE NO.	R20S
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX(doz.)	1
BATTERIES PER CARTON (doz.)	24
GROSS WEIGHT (kg)	26.5
MEASURE-MENTS(cm)	44x29.5x22.5
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	300min

TYPE NO.	R6S
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER BOX(doz.)	2
BATTERIES PER CARTON (doz.)	100
GROSS WEIGHT (kg)	21
MEASURE-MENTS(cm)	31.5x19x28.5
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	60min

TYPE NO.	R03		
REMARK	PVC JACKET		
VOLTAGE(v)	1.5		
BATTERIES PER PACK(PCS)	4	2	4
BATTERIES PER BOX(PCS)	24	60	
BATTERIES PER CARTON (PCS)	720	1200	
GROSS WEIGHT (kg)	5.6	9.2	
MEASURE-MENTS(cm)	24x14.5x15.5	28.5x27x11.5	
TEST CONDITION	3.9Ω 24h/d		
CUT-OFF	0.9V		
DURATION	25min		

Extra ⁺⁺ HIGH POWER BATTERIES



R20P/3110C D SIZE/UM-1
2PCS Shrink Pack



R14P/3120C C SIZE/UM-2
2PCS Shrink Pack



R6P/3140C AA SIZE/UM-3
4PCS Shrink Pack



R03/3668C AAA SIZE/UM-4
4PCS Shrink Pack

TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX(PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	15.3
MEASURE-MENTS(cm)	32.5x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	900min

TYPE NO.	R14P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX(PCS)	24
BATTERIES PER CARTON (PCS)	480
GROSS WEIGHT (kg)	25
MEASURE-MENTS(cm)	33.5x23.5x30
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	265min

TYPE NO.	R6P	
REMARK	METAL JACKET	
VOLTAGE(v)	1.5	
BATTERIES PER PACK(PCS)	4	
BATTERIES PER BOX(PCS)	40	
BATTERIES PER CARTON (PCS)	800	1200
GROSS WEIGHT (kg)	15	21.6
MEASURE-MENTS(cm)	31x30x18	31x30x12.5
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	100min	

TYPE NO.	R03
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX(PCS)	24
BATTERIES PER CARTON (PCS)	720
GROSS WEIGHT (kg)	6
MEASURE-MENTS(cm)	24x14.5x16
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	40min

Extra ⁺⁺ HIGH POWER BATTERIES



R20S/3110 D SIZE/UM-1
2PCS Shrink Pack

TYPE NO.	R20S	
VOLTAGE(v)	1.5	
BATTERIES PER PACK (PCS)	2	*2
BATTERIES PER BOX (PCS)	12	12
BATTERIES PER CARTON (PCS)	288	144
GROSS WEIGHT(kg)	26	14.1
MEASURE-MENTS(cm)	44x29.5x22.5	31.5x31x23.5
TEST CONDITION	3.9Ω 24h/d	
CUT-OFF	0.9V	
DURATION	280min	



R6P/3640C3 AA SIZE/UM3
4PCS Shrink Pack

TYPE NO.	R6P				
REMARK	ALUMINUM JACKET				
VOLTAGE(v)	1.5				
BATTERIES PER PACK (PCS)	2	*2	4	4	*4
BATTERIES PER BOX (PCS)	24	24	40	24	48
BATTERIES PER CARTON (PCS)	1200	384	800	1200	384
GROSS WEIGHT (kg)	19	7.4	12.8	19	6.9
MEASURE-MENTS (cm)	31.5x19x28.5	33x27.5x22.5	31x30x12.5	31.5x19x28.5	27.5x21.5x22.5
TEST CONDITION	3.9Ω 24h/d				
CUT OFF	0.9V				
DURATION	100min				



R03/3660C3 AAA SIZE/UM4
4PCS Shrink Pack

TYPE NO.	R03				
REMARK	ALUMINUM JACKET				
VOLTAGE(v)	1.5				
BATTERIES PER PACK (PCS)	2	*2	4	4	*4
BATTERIES PER BOX (PCS)	48	24	24	48	48
BATTERIES PER CARTON (PCS)	2400	384	720	2400	384
GROSS WEIGHT (kg)	20	4.6	6	20	4.1
MEASUREMENTS (cm)	33x18 x25	33x27.5 x18	24x14.5 x15.5	33x18 x25	27.5x21.5 x18
TEST CONDITION	3.9Ω 24h/d				
CUT OFF	0.9V				
DURATION	40min				



R20S/3110 D SIZE/UM-1
2PCS Blister Card



6F22/3390A3 9V
1PC Blister Card



R6P/3640C3 AA SIZE/UM-3
2PCS Blister Card



R6P/3640C3 AA SIZE/UM-3
4PCS Blister Card



R03/3660C3 AAA SIZE/UM-4
2PCS Blister Card



R03/3660C3 AAA SIZE/UM-4
4PCS Blister Card



6F22/3390A3 9V

TYPE NO.	6F22
REMARK	METAL JACKET
VOLTAGE(v)	9
BATTERIES PER PACK (PCS)	*1
BATTERIES PER BOX (PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	6.5
MEASUREMENTS(cm)	31x28.5x25.5
TEST CONDITION	620Ω 2h/d
CUT-OFF	5.4V
DURATION	26h

Note: The items with asterisk * are blister card packing.

PLUS HEAVY DUTY BATTERIES



R20P/3112C D SIZE/UM-1
2PCS Shrink Pack



R6P/3642C AA SIZE/UM-3
4PCS Shrink Pack



R03/3662C AAA SIZE/UM-4
4PCS Shrink Pack

TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX (PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	13.4
MEASURE-MENTS (cm)	32x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	600min

TYPE NO.	R6P
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	18.4
MEASURE-MENTS (cm)	31.5x30.5x18
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	90min

TYPE NO.	R03
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	9.7
MEASURE-MENTS (cm)	24.5x23x16
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	30min

SUPER HEAVY DUTY BATTERIES



R20P/3118B D SIZE/UM-1
2PCS Shrink Pack

TYPE NO.	R20P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	2
BATTERIES PER BOX (PCS)	12
BATTERIES PER CARTON (PCS)	144
GROSS WEIGHT (kg)	12.9
MEASURE-MENTS (cm)	32x28.5x15
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	400min



R6P/3148B AA SIZE/UM-3
4PCS Shrink Pack

TYPE NO.	R6P
REMARK	METAL JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	20.8
MEASURE-MENTS (cm)	31.5x30.5x18
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	80min



R03/3668B AAA SIZE/UM-4
4PCS Shrink Pack

TYPE NO.	R03
REMARK	ALUMINUM JACKET
VOLTAGE(v)	1.5
BATTERIES PER PACK(PCS)	4
BATTERIES PER BOX (PCS)	40
BATTERIES PER CARTON (PCS)	1200
GROSS WEIGHT (kg)	9.4
MEASURE-MENTS (cm)	24.5x23x16
TEST CONDITION	3.9Ω 24h/d
CUT-OFF	0.9V
DURATION	25min

LITHIUM BUTTON CELL BATTERIES



CR2032/25/16

LITHIUM BUTTON CELL BATTERIES					
TYPE NO.	BATTERIES PER PACK (pcs)	BATTERIES PER BOX (pcs)	BATTERIES PER CARTON (pcs)	G.W.(kg)	MEASUREMENTS (cm)
CR2032	5	100	500 / 600	2.6 / 2.88	34x20x8.2 / 20x19x16
CR2025	5	100	500 / 600	2.3 / 2.52	34x20x8.2 / 20x19x16
CR2016	5	100	500 / 600	1.95 / 2.10	34x20x8.2 / 20x19x16

ALKALINE BUTTON CELL BATTERIES



LR621/626/41/920/1130/44

ALKALINE BUTTON CELL BATTERIES					
TYPE NO.	BATTERIES PER PACK (pcs)	BATTERIES PER BOX (pcs)	BATTERIES PER CARTON (pcs)	G.W.(kg)	MEASUREMENTS (cm)
LR621	10	200	1200	1.36	20.3*18.2*18.4
LR626	10	200	1200	1.42	20.3*18.2*18.4
LR41	10	200	1200	1.24	20.3*18.2*18.4
LR920	10	200	1200	1.78	26.3*18.2*18.4
LR1130	10	200	1200	2.49	26.3*18.2*18.4
LR44	10	200	1200	3.39	26.3*18.2*18.4

TigerHead Product Lineup

