



Foshan Huijing Glass Products Co.,Ltd



Product Brochure



Foshan Huijing Glass Products Co.,Ltd



Company information

Foshan Huijing glass Products Co., Ltd was found in Jun, 2012. It's located in Sanshui district, Foshan city, Guangdong province. Currently, our company is the only one manufacturer in Guangdong province. We have three advanced production lines, more than 500 employees, more than 80 million yuan of annual production and sales. Main products include: blender glass, meat chopper glass bowl, stir dough mixer glass bowl and accessories etc.

processing




compounding



melting



molding



polish



anneal




bottom cutting



grind



chamfer



wash



dryer



inspect



packaging

Foshan Huijing Glass Products Co.,Ltd



A06

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1250	104.8/129	69.2	53.4	210	1231

1. Usage: use for juice blender(4655), juicer
- 2.material: soda-lime glass
- 3.accord with FDA ROSH LFGB
- 4.thermal cold shock resistance test(0°C~55°C)

A04

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1500	120	77.8	61	208	1291

1. Usage: use for juice blender(999), juicer
- 2.material: soda-lime glass
- 3.accord with FDA ROSH LFGB
- 4.thermal cold shock resistance test(0°C~55°C)

Foshan Huijing Glass Products Co.,Ltd



A86

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1250	128.6	69.6	54	200.5	1316

1. Usage: use for juice blender(4655), juicer
2. material: soda-lime glass
3. accord with FDA ROSH LFGB
4. thermal cold shock resistance test(0°C~55°C)

Foshan Huijing Glass Products Co.,Ltd



Foshan Huijing Glass Products Co.,Ltd

A12

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1750	115/150	69	53.2	199.3	1326

1. Usage: use for juice blender(4655), juicer
2. material: soda-lime glass
3. accord with FDA ROSH LFGB
4. thermal cold shock resistance test(0°C~55°C)

Foshan Huijing Glass Products Co.,Ltd



A57

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1500	129.2	71	54	203	1250

1. Usage: use for juice blender(4655), juicer
2. material: soda-lime glass
3. accord with FDA ROSH LFGB
4. thermal cold shock resistance test(0°C~55°C)

A101

Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1500	132.5	69.8	54.3	214	1330

1. Usage: use for juice blender(999), juicer
2. material: soda-lime glass
3. accord with FDA ROSH LFGB and new European safety standards
4. thermal cold shock resistance test(0°C~55°C)

Foshan Huijing Glass Products Co.,Ltd



Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A00	1750	136.3	70.5	52	219	1685

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A03	1000	108	88	68.6	200	1080

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A04	1500	120	77.8	61	208	1291

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A05	1300	117	88	70.9	194	1303

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A06	1250	104.8/129	69.2	53.4	210	1231

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A07-1	1500	130	70.2	54	208	1314

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A07-3	1500	130.2	70.14	54.2	207	1290.5

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A07-4	1500	130	80	63	212	1347

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A07-8	1500	129.5	70.5	54	203	1200

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A08	1500	130.5	69.8	53	207	1400

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A09	1200	120	87.8	69	223	1337

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A10N	1000	107.8	70.5	55.5	198	1050

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A11-1	1000	108	87.8	69	198	1125

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A11-2	1300	115.4	84.8	64.2	209	1300

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A11-3	1700	128	88.4	69.8	219.5	1393

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A12	1750	115/150	69	53.2	199.3	1326

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A13	1800		83.3	68	212	1360

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A16	1500	129	87.6	68.3	211	1400

Foshan Huijing Glass Products Co.,Ltd

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A18	1250	116.5	75.5	59	211	1418

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A21	1250	118/135	73.9	56.3	216	1270

Foshan Huijing Glass Products Co.,Ltd

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A24	1500	128.8	79.1	59.8	207.5	1328

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A24-1	1200	129	79	62	212	1428

Foshan Huijing Glass Products Co.,Ltd

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A30	1500	135.5	88.5/88.9	71	217	1520

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A32			83	67.5	223	1404

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A31N	1250	118/119	75	57.3	212	1215



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A45	1500	130	70/73.6	54	229	1502

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A57	1500	129.2	71	54	203	1250



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A60	1250	133	69.2	54.5	206	1400

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A73	1800	129.5	59.6	53.9	245	1540



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A86	1250	128.6	69.6	54	200.5	1316



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A110	1250	127	79.7	62.3	209	1490



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A121	800	103	71.3	56.2	171	890



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A122	1500	120	92	73.5	227	1470



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A571	1250	132.3	70.8	54.8	203	1235



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A982	1500	130	89	70.7	227	1870



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
B03		75.6	88.3		90	280



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
B04		68.9	78.4		91	270



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
B16	1.5	127.7	87.7	68.7	208	1405



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A101	1500	132.5	69.8	54.3	214	1330



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
B605	600	88.5	69/74.6	55.4	166	720



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A28	1500	135.4	89	70	223	1750



Foshan Huijing Glass Products Co.,Ltd

Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A87	1250	133	69.2	54.5	206	1400

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
9816	1500	130	70.4	54.5	202.5	1180



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
9836	1500	136.4	82.4	64	196.5	1240

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
6840	1750	136	85	66.1	224	1863



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
HB	1500	130.5	71.1	54.2	210	1328

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
Y66	1800	130.3	71	54.3	228	1533



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
C03		107.6	88.5	71	116	500

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
YD218	800	114.5	59.3/61.8	44.1	182	890



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
13A	1.5	129.4	69.8	54.5	219	1370

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
117A	0.45	88.44	69.6	54.9	154.3	672



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
121-C	1500	130.6	77.4	61	204	1290

Foshan Huijing Glass Products Co.,Ltd Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
130	1500	136	88.5	70.2	218	1506



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
210	1800	129.68	89	68.4	234	1420

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
305	1500	121.5/146	96.8	69.6	208	1680

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
309	1500	130.4	88	69	214	1482

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
688	1500	130	78.5	61	203	1307.5

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
806	1200	121	87.6	70	217	1310

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
910		106.8	77.5	63	155	960

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
A982	1500	130	89	70.7	227	1870

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
1505		106.8	79	62	158	920

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
2826	1500	128.2	79	62.7	211.5	1340

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
6807	1000	114.5	59.5/61.5	45	193	970

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
6819	1000	118	69	54	176	980

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
6859	1500	127.2	79.3/79.6	60.8	210	1410

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Top diameter (mm)	Bottom outer diameter (Including thread) (mm)	Bottom inner diameter (mm)	Height (mm)	Weight(g)
7031	1750	129.3	90.7	71.8	239	1430

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
D-05					

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
HJ-01	1000	146	91.8	102	780

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
HJ-02	1000	139	90.8	97	770

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
HJ-03	1000	139	85.5	96	790

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
HJ-04	1500	138	136.8	144	1190

Foshan Huijing Glass Products Co.,Ltd



Type	Capacity (ml)	Inner diameter (mm)	Inner height (mm)	Height (mm)	Weight(g)
HJ-05	1500	166	100	115	1180



Foshan Huijing Glass Products Co.,Ltd

Add : Room201 , Block No.3,47th Guanghai Road,Xi'nan Street,Sanshui District,Foshan City,Guangdong Province,China

Tel: +86-0757-87660193

Fax:+86-0757-87660083

Mob:+8618022705973 +8618022705983

E-mail:huijingglass_01@163.com

huijingglass_02@163.com

Website:<http://glasshuijing.en.alibaba.com>