


21 Parkhouse



Overseas Version
www.21-parkhouse.com

WhatsApp: +86-15602831568

21 PARKHOUSE®



From Nature From Minerals

21Parkhouse® Flexible Stones are made and colored from variety of natural minerals expressing the real and tranquil atmosphere just like the Chinese Traditional Arts, timeless and fadeless.

Born from Nature Colored from Nature

21Parkhouse®Flexible Stones are made from renewable inorganic raw materials like natural stones and minerals, separate, grind into microscale powders, generate from their natural colors " Red, Yellow, White, Gray" then molded with self-own Econic Clay Technology and Curve Temperature-controlled Pressing Technique.



New & Green

21Parkhouse®Flexible Stones are eco-friendly and cost-effective as to a new and sustainable materials for both interior and exterior walls giving out future-oriented design and happiness to the city with Unrivaled advantages compare to others.

What is Flexible Stone

With our patent technology working on the raw mineral particles, 21Parkhouse®Flexible Stones have been modified and activated into the more durable and flexible ingredient.

Compared to the traditional products, we are able to copy from the real patterns to print out 3D textures of stones/woods/weavings and we are able to bend for various shapes in minimum radius 200mm.



Superiority



LIGHTWEIGHT

3-6kg/m²

THIN

Minimum 2mm for even 3D layer

Besides excellent **Decorative Property**
We also focus on the product's **Application**

-  Water-resistance & Moisture-proof
-  Light Aging Resistance
-  Grade A Fireproof
-  Formaldehyde-free

Comparison Data

MORE DURABLE

Light ageing test duration 2000hs
UV exposure outdoor applicable 40-50yrs

MORE BREATHABLE


Effective absorption odor
Check-in 15 days even for hotel decoration
(Used area occupied elevation \geq 50%)

MORE FLEXIBLE

Shape with your imaginations and bendable
Keep the beauty of stones with lower cost

MORE NATURAL TOUCH

Raw materials natural
Capture the genuine essence of stones



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

01 | Travertine

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling
Round Column Corridors Washroom



LMDS01001-050 (Hot sale)



LMDSSN004-01 (Hot sale)



LMDSZH-003 (Hot sale)




White



LMDS04501




LMDS09701



LMDS01001-050 (Hot sale)

APPLICATION EFFECT



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

02 | Rammed Earth Wall

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling



Round Column Corridors Washroom



White



Earthy Yellow




MSHTB01001-325(Hot sale)




MSHTB00203 (Hot sale)



MSHTB00206 (Hot sale)




MSHTB00205 (Hot sale)



Earthy Yellow

APPLICATION EFFECT



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

03 | Tyros Line Stone

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor




External Wall Interior Wall Ceiling



Round Column Corridors Washroom



TLJXS01001-050 (Hot sale)



TLJXS00702 (Hot sale)



White



TLJXS02002 (Hot sale)




TLJXS02002 (Hot sale)

APPLICATION EFFECT



TLJXS01001-Y01



TLJXS00702 (Hot sale)



TLJXS01001-050 (Hot sale)

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

04

Tours Line Stone

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

3-8 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling



Round Column Corridors Washroom



TECTS01001-050 (Hot sale)




TECTS00401 (Hot sale)



White



TECTS02002 (Hot sale)




TECTS02002 (Hot sale)

APPLICATION EFFECT



TECTS01001-050 (Hot sale)



TECTS043



TECTS00401 (Hot sale)

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

05 | Ripple Line Stone

Normal dimensions

2800*1200mm
1400*600mm

Product thickness

3-5 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling
Round Column Corridors Washroom



BWXS052



BWXS221



BWXS052

 APPLICATION EFFECT

BWXS052



BWXS221

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

06 | North America Line Stone

Normal dimensions

1200*600mm

Product thickness

2-4 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling




Round Column Corridors Washroom



BMTS01001



BMTS01503



White




BMTS02008



BMTS01001

APPLICATION EFFECT



BMTS01503



BMTS02008



White

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

07 | Morocco Stone

Normal dimensions

1200*600mm

Product thickness

2-8 (± 1) mm

Recommended use area

Indoor/Outdoor




External Wall Interior Wall Ceiling



Round Column Corridors Washroom




White



MLGLSS043



MLGLSS056



MLGLSS362



MLGLSS043

APPLICATION EFFECT



MLGLSS362



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

08 | Montblanc Stone

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

3-5 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling
Round Column Corridors Washroom



BLS01001-050 (Hot sale)




BLSZH-002



White




BLSQDL002



BLS01001-050 (Hot sale)


APPLICATION EFFECT



BLSZH-002



BLSQDL002



White

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

09 | Hill Stone

Normal dimensions

2760*1200mm (Hot sale)
1360*595mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor




External Wall Interior Wall Ceiling



Round Column Corridors Washroom



XQS01001-050



XQS09905



XQS05001



XQS01603



XQS01001-050

APPLICATION EFFECT

XQS01603



XQS05001

Glacier Stone

Normal dimensions


2400*1200mm (Hot sale)
1200*600mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor



BCY02103 (Hot sale)



BCY02804 (Hot sale)



White



BCYCLZX00902



BCY01001-050 (Hot sale)

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

APPLICATION EFFECT




BCYCLZX00902



BCY02804 (Hot sale)

47



BCY02103 (Hot sale)

48

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

11 | *Evian Stone*

Normal dimensions

2400*1200mm (Hot sale)
1200*600mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling



Round Column Corridors Washroom



YYS01001-050 (Hot sale)




YYS00401 (Hot sale)



YYSSN040




YYSQDL002



YYS00401 (Hot sale)

APPLICATION EFFECT



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

12 | Concrete Pouring Slab

Normal dimensions


2800*1200mm
1400*600mm

Product thickness

3-5 (± 1) mm

Recommended use area

Indoor/Outdoor





White



White

APPLICATION EFFECT



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

13 | Natural Wood

Normal dimensions

2700*1200mm (Hot sale)
1350*300mm

Product thickness

2-3 (± 1) mm

Recommended use area

Indoor/Outdoor



External Wall Interior Wall Ceiling



Round Column Corridors Washroom



TRM05901




TRM03002 (Hot sale)



TRM03305 (Hot sale)



TRM03304 (Hot sale)




TRM03304 (Hot sale)

APPLICATION EFFECT



TRM03305 (Hot sale)



TRM03002 (Hot sale)



TRM05901

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

14 | Bjork Linear Timber

Normal dimensions

2800*1200mm
1400*600mm

Product thickness

3-5 (± 1) mm

Recommended use area

Indoor/Outdoor



White



White

APPLICATION EFFECT



White



White



White

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

15

Kesong Carbonized Wood

Normal dimensions

2800*1200mm
1400*600mm

Product thickness


3-5 (± 1) mm

Recommended use area

Indoor/Outdoor




KSTHM043



KSTHM043

APPLICATION EFFECT

KSTHM043



*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

16 | *Shadow of Bamboo*

Normal dimensions

2700*1200mm
1350*600mm

Product thickness

3-5 (± 1) mm

Recommended use area

Indoor/Outdoor



White




ZY01001-Z03



ZY01001-221



ZY01001-056



ZY01001-Z03


APPLICATION EFFECT



White



ZY01001-221



ZY01001-056

*The product number in bold is the hot selling model.

*Non-hot selling single order quantity <150m², it is recommended to communicate with the business manager to place an order.

17

Matsue W Weaving

Normal dimensions

2700*1200mm (Hot sale)
1500*600mm

Product thickness

4-5 (± 1) mm

Recommended use area


Indoor/Outdoor




External Wall Interior Wall Ceiling



Round Column Corridors Washroom



White




SJWMB221



SJWMB056



SJWMB325



SJWMB056


APPLICATION EFFECT



SJWMB221






SJWMB325



White

Cases



Rosewood Hotel, Sanya
 Sheraton Hotel, Chennai
 Mgallery Mile Hotel, Yunnan
 Hilton Hotel, Guangdong
 Wyndham Hotel, Zhangzhou
 Marriot Hotel, Yogyakarta
 The Ritz-Carlton Hotel, Harbin
 King Abdulaziz International Airport, Jeddah
 Desa Sentral Sales Gallery, Kuala Lumpur
 Balenciaga in Villaggio Mall in Doha, Qatar
 Reception Hall for G20 Summit, Bali
 Chinese Embassy, Bern
 Phomi Showroom, Semarang
 Phomi Showroom, Riyadh
 DP Mall, Semarang
 Level 21 Mall Jalan Teuku, Bali
 Fitra Convention Hall, Majalengka
 KL Sentral, Kuala Lumpur
 KFC, Kuala Lumpur
 Burger King, Semarang
 Gucci Store, Doha
 Eight Treasure restaurant, Jakarta
 DHL Office, Bangalore
 Intel Office, Bangalore

Radisson Hotel, Nanjing
 The Ornate Hotel, Gauhati
 Intercontinental Hotel, Nantong
 Consulate-General of China, Munich
 Supermarket Bintang Seminyak Bali
 Threater Academy, Shanghai
 Karlovy Vary Golf Resort, Karlovy Vary
 Yue Mansion, Suzhou
 Eternal Land, Chongqing
 CSU Institute, Beijing
 RSA Institute, Beijing
 Virology Institute, Wuhan
 Phomi Showroom, Semarang
 Sukeenang Cafe, Kajang
 Dermatology Clinc, Jakarta
 Saudi Royal Villa, Riyadh
 Halo BCA, Semarang
 Kingdom Tower, Jeddah
 Residence by Gursiji Studio, Rawamangu
 Modena Experience Center, Jakarta
 Hyatt Centric, Dublin
 Hotel Fieris, Rawamangu
 Shangri-La Tanjung Aru, Kota Kinabalu
 Grand Gallery Hotel, Bukittinggi

Construction



1

Ensure the base is clean, firm and NO hollow.

2

Always use sawing table or hand-held machine to do cutting.



3

Apply Adhesive on the back covering exceed 90%.



4

Aim from the skirting line to install upward, requires 2-3 workers together.

5

Use nail gun to secure but only nail on the top.
***Do not nail on the middle or bottom as bulge may incurs.**



6

Clean the surface with a dry sponge to finish.

TikTok: @21parkhouse

INS: 21parkhouse

Facebook: ParkHouse

21Parkhouse



Search more on

21PARKHOUSE

21PARKHOUSE

21 PARKHOUSE®