



NEWHUABAO (Hardware) Industrial Co., Ltd.

E-PAI Metal products Co.Ltd.

EPAINOX Technology (GD) Manufactures Co., Ltd.

Factory Add: Workshop in Building 6A, Yuehai Intelligent Manufacturing Industrial Park, West Industrial Avenue, Songxia Industrial Zone, Nanhai District, Foshan City, Guangdong, China

➤ E-PAI Stainless Steel Pipe

➤ E-PAI Architectural Hardware

➤ E-PAI Door Pull Handle

➤ E-PAI Locking Ladder Pulls

➤ E-PAI Door Handle

➤ E-PAI INOX Hardware

➤ E-PAI Bathroom Hardware

➤ E-PAI Safely Grab Bar

➤ E-PAI Glass Fitting Hardware

➤ E-PAI Fence Spigot

➤ E-PAI Handrail

➤ E-PAI Stair Railing

➤ E-PAI Pipe Fitting Hardware

Tel: +86-757-85751892 85751893

Fax: +86-757-85751891

P.C: 528247

E-mail: manager@epai-hardware.com

Https: // www.epaicn.com

www.epai-hardware.com

Contact person: James Lam

phone: +86-132 2672 5491

Hardware.Project

www.epai-hardware.com



E-PAI keeps close paces with times regarding the development of new varieties. This manual cannot fully express all the details. The pictures and copyright of the catalogue are owned E-PAI. Without written permission, any re-photographing, plagiarizing, copy etc will be considered to be an infringement, and will be charged with law responsibility

91

ARCH

Architectural Hardware



Door Pull Handle
Locking Ladder Pulls

SERIES
**HANDLE
DOOR BUTT**

Safely Grab Bar
Bathroom Hardware

SERIES
BATHROOM

SERIES
HANDLE LOCK

Door Handle

SERIES
INOX HARDWARE

PIPE SERIES
STAINLESS STEEL

Pipe Fitting Hardware
Stainless Steel Pipe



28⁺ Years

OF PRODUCTION EXPERIENCE

PHILOSOPHY OF EPAI——

THE PURSUIT OF FRESH BEAUTY

INDUSTRY LEADER

AHEAD OF ARTWARE BUILDING A DREAM WITH JOINT EFFORTS

EPAI pursues excellence,

All the products are revealed by a group of people who are pursuing the ingenuity of stainless steel building materials, professionalism, concentration, and dedication to practice the Chinese dream of achieving the world's leading stainless steel architectural materials.



Number	Page	Number	Page	Number	Page	Number	Page	Number	Page	Number	Page	Number	Page
HB-101	123	HB-179	064	HB-265	068	HB-456	045	HB-620	087	Bathroom Hardware Handle		KBH-014	186
HB-102	124	HB-181	098	HB-268	087	HB-464	044	HB-629	078			KBH-015	187
HB-103	124	HB-195	099	HB-273	098	HB-468	083	HB-631	088	BP-013	177	KBH-016	187
HB-104	124	HB-196	099	HB-279	081	HB-469	045	HB-645	104	BP-113	177	KBH-017	187
HB-105	124	HB-197	072	HB-286	113	HB-484	114	HB-648	078	BP-158	181	KBH-018	187
HB-107	124	HB-199	085	HB-287	112	HB-490	067	HB-649	106	BP-163	181	KBH-019	187
HB-108	124	HB-202	081	HB-288	111	HB-493	047	HB-650	107	BP-268	179	KBH-020	187
HB-109	124	HB-203	081	HB-289	118	HB-497	053	HB-651	108	BP-319	179	KBH-021	187
HB-111	64	HB-204	068	HB-290	120	HB-500	118	HB-651	121	BP-341	179	KBH-022	187
HB-112	038	HB-205	068	HB-291	083	HB-501	119	HB-652	035	BP-345	179	KBH-023	187
HB-112	043	HB-206	068	HB-298	096	HB-502	116	HB-653	063	BP-349	179	KBH-024	188
HB-113	060	HB-207	068	HB-301	111	HB-503	120	HB-662B	022	BP-413	179	KBH-025	188
HB-113JP	061	HB-208	067	HB-303	048	HB-505	117	HB-667B	019	BP-414	180	KBH-026	188
HB-114	042	HB-209	067	HB-305	054	HB-506	117	HB-708	018	BP-550	180	KBH-027	188
HB-120	042	HB-210	123	HB-310	102	HB-510A	021	HB-740	017	BP-551	179	KBH-028	188
HB-125	041	HB-211	123	HB-311	102	HB-514	041	HB-753	015	BP-551	180	KBH-029	188
HB-126	083	HB-215	053	HB-314	063	HB-515	026	HB-754	015	BP-631	180	KBH-030	188
HB-133	049	HB-216	054	HB-315	063	HB-522	041	HB-755B	016	BP-1403	182	KBH-031	188
HB-134	064	HB-216	054	HB-316	120	HB-523	041	HB-757	016	BP-1456	182	KBH-032	189
HB-135	064	HB-219	053	HB-318	052	HB-524	067	HB-769	019	BP-3112	183	KBH-033	189
HB-136	065	HB-219	054	HB-321	098	HB-530	051	HB-779	024	BP-3113	181	KBH-034	189
HB-137	091	HB-220	049	HB-322	098	HB-533	028	HB-817	017	BP-3113	182	KBH-035	189
HB-140	060	HB-222	081	HB-331	102	HB-535	020	HB-2076	023	BP-3146	182	KBH-036	189
HB-141	065	HB-223	063	HB-332	045	HB-545	083	简易系列 Flexible125 ~ 134		BP-3149	183	KBH-037	189
HB-143	065	HB-224	041	HB-335	098	HB-548	077			BP-3153	183	KBH-038	189
HB-144	060	HB-225	042	HB-344	115	HB-550	085	配件135 ~ 138		BP-3153	180	Towel Rack	
HB-145	082	HB-226	098	HB-347	037	HB-550	088			BP-3158	181		
HB-146	082	HB-228	101	HB-347	043	HB-550	088	安装方式139 ~ 146		BP-3162	183	BPTR-01-001	191
HB-146	088	HB-229	123	HB-348	117	HB-555	088			BP-5515	181	BPTR-01-002	191
HB-147	081	HB-230	071	HB-350	118	HB-556	087	Locking Ladder Pulls		BP-153B	182	BPTR-01-003	191
HB-150	072	HB-237	097	HB-362	071	HB-560	086			KBH-001	185	BPTR-01-004	191
HB-151	069	HB-238	093	HB-373	069	HB-568	122			KBH-002	185	BPTR-01-005	191
HB-152	065	HB-239	105	HB-377	043	HB-572	045			LLP-001	155	KBH-003	185
HB-152	066	HB-241	045	HB-378	043	HB-573	052	LLP-002	156	KBH-004	185	BPTR-01-007	191
HB-155	042	HB-242	045	HB-386	041	HB-577	089	LLP-003	153	KBH-005	185	BPTR-01-008	191
HB-157	064	HB-245	047	HB-388	045	HB-589	088	LLP-084	154	KBH-006	185	BPTR-02-001	192
HB-158	042	HB-248	046	HB-391	099	HB-590	086	LLP-024	157	KBH-007	186	BPTR-02-002	192
HB-162	066	HB-249	046	HB-395	096	HB-592	020	LLP-059	158	KBH-008	186	BPTR-02-003	192
HB-163	065	HB-250	097	HB-397	082	HB-593	080	Altruism Lever Handle		KBH-009	186	BPTR-02-004	192
HB-173	082	HB-253	054	HB-399	117	HB-606	028			KBH-010	186	BPTR-02-005	192
HB-174	082	HB-257	099	HB-400	118	HB-610	082	Lever Handle161 ~ 172		KBH-011	186	BPTR-02-006	192
HB-175	085	HB-258	101	HB-418	054	HB-610	087			KBH-012	186	BPTR-02-007	192
HB-178	064	HB-262	042	HB-424	053	HB-616	027			KBH-013	186	BPTR-02-008	192



E-PAI Architectural

E-PAI DOOR HANDLE

NO.1 EXPORT BRAND OF CHINA

匠心品质点饰美门 · 人文关怀首选一派

In 1997, Mr. James Lam recruited 8 workers in Guicheng to start the production of door handles. In 2005, Mr. James Lam moved the factory to Yanbu, a famous hardware town. In that year, he proudly produced his own stainless steel color-separated pull handle with a brand symbolizing "Striving for No. 1" - "Yipai e-PAI". Since then, EPAI's legendary history is kicked off.

Since then, Yipai has been adhering to its own unique concept-the handle is an extension of manpower-to design and produce products. The stainless steel handle is a timeless masterpiece of stainless steel, so it has been favored by the world's top brands. It is awarded the cooperation to interpret the production and design of their brand products. Many classic styles have begun to attract wide attention..., what we do is just to let people in I feel it when I touch the handle Friendly, comfortable, happy, friendly and powerful.

In this 20-year history, the faction is growing. We are innovative, whether it is a functional building that advocates a simple style or an ancient castle full of history, we can always find the most suitable one in our products.

Keeping up with the spirit of the times, insisting on standing at the forefront of the trend, and committed to developing the craftsmanship of the handicraft tradition.

Today, in this spirit, through the efforts of a group of craftsmen, the product line has been successfully expanded,

The eternal stainless steel masterpiece extends to Staircase railing products and engineering solutions, frameless glass shower room products and engineering solutions.

With the advantages of self-produced stainless steel pipes, we will open up new territories to decorate the world with a group of building materials.

This is us, from China,

A group of EPAI.

1997年, James Lam先生在桂城招聘了8名工人开始门拉手的生产。2005年, James Lam先生将工厂搬至五金名镇-盐步。

在那一年, 他骄傲地把自己生产的不锈钢分色拉手上印上了象征力争第一的牌子——“一派 E-PAI”。

从那时起, EPAI的传奇历史被拉开序幕。

从那以后, 一派一直秉承自己独特的理念——拉手是人手的延伸——来进行产品的设计及生产。

不锈钢拉手永恒的不锈杰作, 于是得到世界顶尖品牌的青睐——派被授予合作诠释他们品牌产品的生产与设计, 许多经典的款式开始广受关注……。

我们所做的一切只是为了让人们在接触到把手的一刹那感受到它的亲切、舒适、快乐、友爱与力量。

在这20多年的历史之中, 一派在不断成长。我们推陈出新, 无论是崇尚简约风格的功能性建筑还是充满历史气息的古堡, 总能够在我们的产品中找到最适合的一款。

紧跟时代精神, 坚持站在潮流的前沿, 并且致力于发展手工业传统的工匠精神。

如今, 我们本着这样的精神, 通过一派匠人的努力, 产品线成功获得拓展, 永恒的不锈杰作延伸到楼梯栏杆产品以及工程方案解决,

无框玻璃淋浴房产品及工程方案解决。

凭着自产不锈钢管的优势, 开疆辟土将一派建材装点更美的世界。

这就是我们, 来自中国,

一派 EPAI。



EPAI the standard of quality door handle





亲切 FUNCTION TO CALL TO YOUR FEELING

Understand the stability, "friendly" feel after contact

Hand touches a wide variety of items in everyday life.

At the same time as the complicated movements such as 「grip」, 「push」 and 「pull」 occur, the feelings of contact with the hands produce various feelings in our hearts.

The first contact in the new space is the door handle, which plays the most important role: through it, the point of the impression of the space that opens inside the door after it is opened.


The feeling of contactlessness in the moment of contact, the opening of the door, the sense of fit and charm through the moisturization of the skin, taking into account the ergonomically comfortable shape. . . . The body of the E-PAI company has pursued such a door handle that caused such a feeling of heart.

「Anything that is friendly, safe, and feels good to anyone's hands」, 「A soft touch that can cause good memories in any short-term moment」, and therefore "no hesitation" A high-quality product that "touches the joy" feeling -

E-PAI's door handles pursue the possibility of function and added value, forming a sensible "friendly".

Once your company holds the E-PAI door handle, we will fully support your company's efficiency increase and corporate development. Once you join the E-PAI company, we will treat you as a part of our family and take care of your career growth. Happy companionship.





DESIGN 舒适 TO APPEAL TO REASON

Found, felt, "friendly" expression

"The top priority among the five senses is "vision." The impression it caused, the impression is faster, more direct and profound than any feelings affect people's mentality.

The particularly soft curve creates a "friendly" feeling while causing a good atmosphere in the heart. The "friendly" feeling in this form creates a special landscape in the process of urban linearization. By the way most people are visually informed of the rational side - and thus the people are controlled to create a calm mindset is what E-PAI has to consider.

More than just simple component materials, in general, parts and design concepts play a key role in building materials such as door handles and railings. The curve type that is very difficult in the technical performance of the foundry, the flow of the same natural line, the coincidence of the space, the simplicity, etc., embodies the very natural [combination of beauty and function] of the E-PAI company.

In the atmosphere of joy and peace of mind, through the feeling of the eyes... E-PAI's door handles and handrails form a rational "friendly" form.



快乐 INTERNET TO PASSING HAPPINESS

Hope to pass from hand to hand, "friendly" product network.

People's "hands" have created a wide variety of products, practical products, products of high cultural taste, overwhelming fashion products... So far, they are creating the focus of people's attention. The feeling of coming out.

The comfort and reassurance of the heart makes people show an intimate and peaceful expression. However, the product development of modern social reality has entered a period of full maturity, and one aspect has gradually lost the expression of satisfaction. In turn, people who have turned their eyes to the natural environment of the wild and forest baths have gradually increased. Perhaps people are already tired of modern society.

When people expect convenience and peace of mind - at this time, the E-PAI company is thinking: meeting the expectations of people who see and contact products is the time to create products where people first feel the convenience and peace of mind.

Let the people who do not care produce the heart, let the men, women and children can feel the good, convenient and safe feeling of the product directly by hand... It can directly convey the gentle feeling of the creator, and the various people touch the product. The creator's philosophy is understood by a wide range of users through the product network.

*When this product network penetrates into the whole society, people's peace of mind and comfort can change the surrounding environment.
This is the central idea pursued by the E-PAI company.*

Starting from E-PAI, it's amazing, hand-to-hand conveys "friendly"

Note: E-PAI Company - China Company Name





"Friendly" Form 友爱 FREQUENT FEELINGS...

The "friendly" form is where we live in a variety of buildings.

The mainstream of modern society is keenly and profoundly pursuing the beautification of the city. Therefore, in addition to the universal functions required by people, building hardware such as door handles must be adapted, valued, and urban.

Creating a product that is "friendly" to people is a big issue for creators to express "kindness".

Here, E-PAI has a unique concept of ergonomics, and pursues the "friendly" form in two aspects of touch and vision. It designs and manufactures the most stable feeling that is suitable for people's hands, hearts and feelings. Door handles and other architectural hardware.

Maximize the use of long-term savings in manufacturing technology and patents to create products that produce a soft feeling. Established a "streamlined" product development technology that has always been considered very difficult for the design of building hardware such as door handles, creating a "friendly and soft" product that can be visually and tactilely touched.

In addition, we actively try to study the production of prototype products while maintaining the appearance of hardware without damaging the door and naturally merging door handles and other hardware products.

"Who can have peace of mind" "I don't think about touching" "Although I have left, I still want to use it again" - it is the ideal door for E-PAI to pursue research for people. Hardware products such as handles.




EP HANDLE

Door handle

Brilliant pai

漆派





身心与大自然零距离接触



藤编有着良好的造型，体型分明，形成优美的韵律感，通过传统手工艺创造出这独特的吸引力，给人以鲜明强烈的印象。藤编显得高耸，挺拔，轻巧，亲切。用藤条制作拉手，使得纯朴自然，而藤编更是充满田园气息夹带时尚的韵味。回归自然思想逐步深入人心，藤编成为重要的时尚家居。

藤编有着良好的造型，体型分明，形成优美的韵律感，通过传统手工艺创造出这独特的吸引力，给人以鲜明强烈的印象。藤编显得高耸，挺拔，轻巧，亲切。用藤条制作拉手，使得纯朴自然，而藤编更是充满田园气息夹带时尚的韵味。回归自然思想逐步深入人心，藤编成为重要的时尚家居。

ZERO DISTANCE CONTACT WITH BODY AND MIND TO NATURE

Rattan weaves have favorable shape to form a beautiful sense of rhythm, through a traditional craft to create the unique attraction, show people bright and strong impression. Rattan weaves appear rise, tall, light, warm. Use rattan weaves to make handles, it could be simple and natural, in the meantime, rattan weaves are full of rural breath and fashionable charm. Thought of returning to nature sink deeper and deeper into people's hearts, rattan weaves become important fashionable household.






HB-753

饰面： 抛光 + 编织藤
Finishes: PC+WVR


规格 /Size:
L(A:762 B:800 C:Φ40 D:83)



HB-754

饰面： 抛光 + 编织藤
Finishes: PC+WVR


规格 /Size:
L(A:400 B:600 C:Φ37 D:81)



HB-755B

饰面： 抛光 + 编织藤
Finishes: PC+WVR

规格 /Size:
L(A:550 B:600 C:Φ35 D:74)



HB-757

饰面： 抛光 + 编织藤
Finishes: PC+WVR

规格 /Size:
S(A1:679 A2:612 A3:679 B:2000
C:Φ35 D:74)
L(A1:879 A2:612 A3:879 B:2400
C:Φ51 D:91)







HB-740

饰面：钛黑 + 镜光 + 贝壳
Finishes: TB+PC+GNS


规格 /Size:
L(A1:296 A2:800 A3:296 B:1500 C:200 D:60)



HB-817

饰面：镜光 + 马赛克
Finishes: PC+MC

规格 /Size:
L(A:1000 B:1600 C:13X100 D:68)



HB-708

饰面：哑光青古铜 + 烟雨朦胧 红古铜 + 夜玫瑰
Finishes: SAB+MR RB+NR

规格 /Size:
L(A:350 B:500 C:30X250)






HB-769

饰面：钛金
Finishes: Ti

规格 /Size:
L(A:314.5 B:425 C:23 D:80)



HB-667B

饰面：钛金
Finishes: Ti

规格 /Size:
L(A:645 B:890 C:38)



HB-592

饰面：哑光青古铜 钛金 + 水晶
Finishes: SAB TI+CR


规格 /Size:
L(A:635 B:850 C:38 D:130)



HB-535

饰面：钛金 + 水晶
Finishes: TI+CR

规格 /Size:
L(A:1000 B:1500 C:80 D:140)






HB-510A

饰面：钛金
Finishes: TI

规格/Size:
L(A:898 B:1200 C:Φ38 D:94)



Show The
Combination Of
Art And Life

HB-662B

饰面：钛黑 + 水晶
Finishes: TB+CR

规格/Size:
L(A1+A2:780+780 B:1960 C:80)





HB-2076-Ba

饰面：哑光青古铜 红古铜
Finishes: SAB RB


规格/Size:
L(A:520 B:800 C:38 D:93)
XL(A:642 B:1000 C:51 D:122)



HB-779

饰面：砂光+镜光+钛黑
Finishes: BSN+PC+TB

规格/Size:
L(A1:783 A2:401 A3:783 B:2000
C:Φ38 D:81.5)





The Unique Appearances And
THE FRESH COLOR MATCHING



Time stops at this moment smile peacefully



HB-616

饰面：红古铜+啡色皮
Finishes: RB+BRL

规格/Size:
L(A:565 B:1000 C:10X150 D:60)



HB-606

饰面：哑光青古铜 红古铜
Finishes: SAB RB

规格/Size:
L(A:130 B:400 C:220X10 D:60)



HB-533

饰面：哑黑
Finishes: MB

规格/Size:
L(A:300 B:379 C:175)



EP HANDLE

Door handle

Original pai

源派



DO IT YOURSELF (DIY)

Integrating into today's advanced production technology, we have developed a wide range of design to meet different customers' needs.

The ODM service team has further enhanced the design ideas.

All the door handle good quality get better control, we strategically produce high-quality stainless steel pipes by ourselves.

All the handles we produce are made of stainless steel pipes with international special quality.

304 stainless steel parts in the product are made of pipes with 1.2mm-1.5mm wall thickness.



All handle can be installed on glass door, wooden door, and framed door.

Major fittings in handle are made of stainless steel, minor are made copper or steel.

12mm-15mm handle installation holes are suggested on glass door.


Please install the handles after finishing building decoration.

Clean the handle at least once a week.



CHOOSE WHAT YOU LIKE HERE:

Scan QR code for more product information



CHOOSE WHAT YOU LIKE HERE:

Show your unique and high-grade
They can be


Scan QR code for more product information



Bold lines are the rigidity of life



Length order



- ☐ 6580 Φ 25mm
- ☐ 6681 Φ 30mm
- ☐ 6682 Φ 35mm
- ☐ 6683 Φ 40mm



- ☐ 6529 Φ 25mm
- ☐ 6630 Φ 30mm
- ☐ 6531 Φ 35mm
- ☐ 6532 Φ 40mm



To order custom designs in the pull handle series 6681 or 6630, please use a copy of this page:
First specify the model desired citing the applicable order code above.
Then enter the quantity required and overall length in the table below.
Then enter details of the distance between brackets and, where applicable, their distance from the end of the handle in mm.
To ensure stability, the distance between brackets should not exceed 1,200mm.
Finally, please tick cap required for standard versions with a diameter of Φ 30.

Qte.	Overall length L	Caps for 6681 and 6630			Distance between brackets			Edge soacing*		Fixing methode
		.00	.10	.20	A1	A2	A3	R1	R2	

The design integrates
art into the life




HB652 Leopard

Size	L	C/C	Φ
500xΦ32	500	400	32





They are peals shining in the
oriental world



HB347

45° offset base basic type
Φ38/25 Φ32/25
Mirror / Edelstahl matt / Dual Finish

Size	L	C/C	Φ
400xΦ32	400	150	32
600xΦ32	600	350	32
800xΦ32	800	500	32
1200xΦ32	1200	900	32




HB112

Straight base basic type
Φ38/32 Φ32/25 Φ25/19
Mirror / Edelstahl matt / Dual Finish

Size	L	C/C	Φ
1200xΦ25	1200	300	25
1500xΦ30	1500	350	30
1800xΦ32	1800	400	32
2000xΦ35	2000	450	35
2200xΦ40	2200	500	40
2500xΦ51	2500	600	51
3000	3000	750	—
3500	3500	900	—







HB224

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32
300	200	25



HB154

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
450	300	32
800	500	38



HB125

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
300	200	25
450	300	32
600	400	32



HB155

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32



HB120

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	300	32
600	400	32
1200	800	38



HB114

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
400	300	38
500	400	38



HB386

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
325	300	25
532	500	32
1238	1200	38



HB523

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
550	500	32



HB522

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
418	400	25



HB225

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	250	32
600	400	32



HB158

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
425	400	25
532	500	32




HB262

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
475	450	25





HB572 Ladder Eco

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

Size	L	C/C	Φ
795xΦ32	795	600	32



HB378

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
450	250	32
600	400	32



HB377

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	250	32
600	400	32



HB347

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32



HB112

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32



Rigid and flexible in this to achieve
a harmonious unity




HB464

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32






HB456

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32



HB469

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	425	32



HB332

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
910	500	38



HB249

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
740	700	38
1240	1200	38



HB248

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1200	800	38



HB241

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
300	225	25
450	375	25
600	450	32



HB242

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
300	225	25
450	375	25
600	450	32



HB388

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	500	32



Design

With unique design, simple and clear lines, elegant design is not limited by any time and trend. Don't look worldly, make your hands full of charm.


拥有匠心独具的设计，简约明快的线条，高雅的设计不受任何时代与潮流限制。别于世俗眼光的风采，使拉手充满魅力。



HB245

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
400	200	25
600	300	38



HB303

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	300	32
800	500	32



HB493

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
700	600	38





HB133
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	Φ
1200	800	38
900	600	38



HB220
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	350	32
600	450	32






HB530

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C (1)	C/C (2)	Φ
1800	450	1600	38


Innovative and unique design



HB318

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C (1)	C/C (2)	Φ
1800	750	1768	32



HB573

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	350	31x17.5
600	400	31x17.5
900	600	31x17.5






HB497

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
600	425	40x25	



HB424

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
600	562	40x20	



HB215

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
600	425	30x15	



HB216

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
300	230	30x15	
450	350	30x15	
600	500	38x19	
1200	1000	38x19	



HB418

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
300	180	30x15	
600	400	30x15	
1200	800	38x19	



HB253

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	△	QR
300	200	25	
450	300	25	
800	500	38	



HB219

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
300	230	30x15	
600	500	38x19	
1200	1100	38x19	



HB215

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
450	275	30x15	
600	425	38x19	



HB305

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
300	150	30x15	
450	300	30x15	
1200	900	40x20	



HB216

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	□	QR
1200	1100	38x19	



HB219

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	□	QR
1200	1100	38x19	

EP HANDLE

Door handle

Hoya pai

潮派



Comfort / Functionality
Mood letting a person
return to nature



Meet your pursuit in
every detail

The perfect combination of function
and aesthetic



HB113

Φ25/Φ27/Φ30/Φ32/Φ38

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
330	305	25
450	425	25
600	575	25
332	300	32
337	305	32
432	400	32
482	450	32



HB140

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
382	350	32



HB144

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
382	350	32
332	300	32



DOOR HANDLE

Caption

在日常生活中，它给予人们“乐趣”、“惊奇”和“动感”，能给人们充满能量，刺激人们的五官感受，运用独特的创意和高技术水准，满足高理性和能想象出可能存在的人们，具有能协调自然环境和生活环境，人文景观的优秀造型价值的五金制品是（E-PAI）的产品理念。

In daily life, it gives people joy, surprise, innervation and make the people energetic, stimulating the people's all five senses. It uses the unique originality and high technology to satisfy rational people. It is our EPAI's product concept to create the hardware products with the outstanding modeling value of human landscape and coordination of the natural environment and living environment.



HB113-JP

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	425	25
477	450	27
600	575	25
627	600	27



HB113-JB

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
152	171	19
300	275	25
450	425	25
450	418	32
600	568	32



The simple lines are



will integrated





New



HB653/113 Leopard

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
325	300	25
330	305	25
337	305	32
382	350	32
450	425	25
632	600	32



HB157

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/c	Φ
620	582	38



HB135

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	568	32



HB134

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	568	32



HB223

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
500	210	32



HB315

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/c	Φ
600	300	38



HB314

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
300	150	25
600	300	38



HB111

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/c	Φ
450	425	38
800	775	38



HB178

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	412	32




HB179

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	412	32





HB152

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
300	275	25
450	418	32
600	568	32
1238	1200	38
2038	2000	38



HB143

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	568	32



HB143

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
330	305	25



HB162

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
200	175	25



HB152

Bended tube basic
type Φ32
Mirror / Edelstahl matt / Dual Finish

L	C/c	Φ
450	425	25
600	568	32
1200	1162	38



HB136

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	425	25
600	568	32



HB163

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
550	400	32
600	400	32



HB141

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
200	175	25



HB162

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
382	350	32

Art of living

The source of inspiration comes from the profound understanding of life art. With pure aesthetic feeling, unique design touches the mind's eye.
灵感源自对生活艺术的深刻感悟，以纯粹的美感，独特的设计触动心灵目光



HB209

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
200	100	25



HB208

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
200	100	25



HB524

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	425	25



HB480

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
337	305	25



HB205

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
400	350	25



HB265

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	395	25



HB207

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
300	250	25
400	350	25



HB204

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
400	350	25




HB206

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
400	375	25





HB373

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c (1)	C/c (2)	Φ
1800	900	900	38



HB151

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
1300	1262	38



The details are perfect, the shape is beautiful and fashionable, use comfortable and convenient, let your space is perfect.

细节体现完美，造型美观时尚，使用舒适方便，让您的空间十全十美。



HB362

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1200	1168	32



HB230

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1300	1268	32



The
combination of
art and life

HB150

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1300	1268	32



HB197

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1300	1268	32




EP HANDLE

Door handle

Expert pai

正派





Seize the moment of beauty

EPAL started with the door handle the point of contact between the space and people and binds things to create new value.





The Interpretation Of The Colorful
Life In The Name Of Art

New



HB548
Material: Stainless steel
Finish: Satin / Dual Finish /
Shiny / PVD Satin / PVD Shiny
/ PVD Pose Gold

L	C/C	□
1200	1175	25x25
1200	1170	30x30



New



HB629
Material: Stainless steel
Finish: Satin / Dual Finish /
Shiny / PVD Satin / PVD Shiny
/ PVD Pose Gold

L	C/C	□
600	580	40x20
1000	980	40x20



New



HB648
Material: Stainless steel
Finish: Satin / Dual Finish /
Shiny / PVD Satin / PVD Shiny
/ PVD Pose Gold

L	C/C	□
600	400	40x20
800	500	40x20



Adhering to the european original
design style




New

HB593

Material: Stainless steel
Finish: Satin / Dual Finish /
Shiny / PVD Satin / PVD Shiny
/ PVD Rose Gold

L	C/C	□
420	400	40x25
620	600	40x25
820	800	40x25
1520	1500	40x25





HB222

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
300	180	30x15	
600	450	40x20	



HB203

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
450	418	32	
600	582	38	



HB202

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	575	38	



HB146

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	575	38x25	
620	600	40x20	



HB145

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
450	412	38x25	
600	562	38x25	



HB397

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/c	Φ	QR
434	400	25x25	
634	600	25x25	
834	800	25x25	
1534	1500	25x25	



HB137

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	562	32	
800	762	32	



HB147

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	562	32	
800	762	32	



HB279

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
300	270	30x15	
600	562	40x20	



HB610

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
444	400	40x10	
644	600	40x10	
844	800	40x10	
1044	1000	40x10	
1544	1500	40x10	



HB173

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	568	38x25	



HB174

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ	QR
600	575	38x25	



HB468

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
600	400	25x13



HB291

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
450	425	25x25



Move



HB545

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
450	300	25x25
600	400	25x25
600	400	30x30
800	600	30x30
1000	800	30x30



HB126

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
600	400	30x15
800	500	38x25





HB550

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
450	300	40x10
600	400	40x10
800	500	40x10
1000	800	40x10



HB175

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/c	□
1212	1180	38x25



HB199

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
1200	1162	38x25



HB560

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
332	300	20x20
632	600	20x20
832	800	20x20
1032	1000	20x20
1532	1500	20x20



New



HB631

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
600	500	25x50
1200	1000	25x50
1500	1200	25x50



HB590

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
400	300	40x10
550	450	40x10
800	500	40x10



New




HB590-TILT

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	□
400	300	40x10
550	450	40x10
800	500	40x10





HB620-RF (固脚)

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold


L	C	□
450	300	25x25
600	400	30x30



HB620-SF

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold


L	C	□
450	300	25x25
600	400	30x30



HB268

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
450	300	25x25
600	400	30x30



HB589

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold


L	C	□
600	526	30x30



HB566

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
600	400	19x19



HB577

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
400	300	40x10
600	400	40x10



HB610

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold


L	C	□
342	300	25x25



HB555

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
600	400	40x20
800	600	40x20



HB550E Road

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
400	300	40x10
600	400	40x10



HB146E Road

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	□
350	335	30x15
625	600	38x25
620	600	40x20




EP HANDLE

Door handle

Nature pai

自然派



Health construction material

Anti-Bacterial Door handles



Harmony art essence deductive splendid life



不断推陈出新的 E-PAI 在 2005 年度再次令业界人士所瞩目，全面推出具有抗菌功能的系列产品，产品设计融合了人体工学基础，采用天然木和不锈钢，配合日本抗菌涂料技术制成。有效破坏及抑制多种有害细菌再生，与此同时，我们获得中国权力检测中心的检测认证。产品使用于公共场合能有效降低和减少因多人频繁接触同一物体而导致的各种疾病交叉感染的机会。杀菌率达 99.99% 因其所表现的人性关怀及本身产品在抗菌方面的特性，“健康建材”新概念，因而受到业界人士关注。

The innovating E-PAI attracts the attention of the trade again in 2005, and it provides the market with new anti-bacterial product series our products are use natural wood material and stainless steel as well as strong between smoothly made out it. The product designs integrated ergonomics, using the material of anti-bacterial abd lacquer technology from Japan, Meantime, we have obtained confirm are it, by the centre of inspection of authority China. People often touch the part of wood of door handle which was sterilized reach by 99%.The products can effectively destroy and inhibit the re-generation of various harmful bacteria, effectively reduce the chances of cross contamination of various diseases caused by contacts with the same object if they are used in public places, Due to humanized consideration and anti-bacteria functions of the products, the new concept of "health construction materials", thus attracting attentions of the trade.

广东省微生物分析检测中心
GUANGDONG DETECTION CENTRE OF MICROBIOLOGY
分析检测报告
REPORT FOR ANALYSIS

样品名称: 抗菌木把手
Name of Sample: 抗菌木把手

委托单位: 佛山市南海区步新五金制品厂
Customer: 佛山市南海区步新五金制品厂

委托登记号: 粤检检(2004) FM0401号
Sample receipt NO.: 粤检检(2004) FM0401号

检测地点: 广东省微生物分析检测中心
Place for Analysis: 广东省微生物分析检测中心

地址: 广州市先烈中路100号大院内
Add: 100 Gongxian Zhong Road, Guangzhou, China

邮编: 510078
Postcode: 510078

电话: 020-7661134 020-7661135
Tel: 020-7661134 020-7661135

广东省微生物分析检测中心
GUANGDONG DETECTION CENTRE OF MICROBIOLOGY
分析检测报告
REPORT FOR ANALYSIS

样品名称: 抗菌木把手
Name of Sample: 抗菌木把手

委托单位: 佛山市南海区步新五金制品厂
Customer: 佛山市南海区步新五金制品厂

委托登记号: 粤检检(2004) FM0401号
Sample receipt NO.: 粤检检(2004) FM0401号

检测地点: 广东省微生物分析检测中心
Place for Analysis: 广东省微生物分析检测中心

地址: 广州市先烈中路100号大院内
Add: 100 Gongxian Zhong Road, Guangzhou, China

邮编: 510078
Postcode: 510078

电话: 020-7661134 020-7661135
Tel: 020-7661134 020-7661135

分析检测结果
Results

供试微生物菌株	空白对照样菌数 (Cfu/cm ²)	抗菌材料菌数 (Cfu/cm ²)	抗菌率(%)
大肠埃希氏菌 (Escherichia coli) ATCC 25922	1.7×10 ⁴	<2	>99.9
金黄色葡萄球菌 (Staphylococcus aureus) ATCC 6538	5.0×10 ⁴	4	99.9

初步结论: 该送检样品对大肠埃希氏菌和金黄色葡萄球菌均有很强的抗菌性能。

健康建材 关注关爱
Health Construction Materials, Attentive Your Life



Deep Appearance From The
Taste Of Life



HB238-JB

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/C	Φ
600	575	30



**Antibacterial
&
NO fingerprints**



Making popular trend ,
advocate of

HEALTH CONSTRUCTION MATERIALS

时尚流行趋势，健康建材倡导。

建筑环境金属制品的企划设计、制造、销售

Manufacture and sales of various architectural amenities and components



抵抗病菌：防止霉菌，有效抵抗大肠杆菌、金黄色链球菌、肺炎克雷伯菌等多种常见有害细菌，为您创造一个卫生安全的空间。

Pathogen resistance: inhibit molds, effectively resist such common harmful bacteria as E. Colic, Staphylococcus aureus, Klebsiella Pneumonia bacteria etc., Creating a safe and hygienic space for you.



无毒安全：不含镉和铅，确保对人体的安全，材料可回收再利用，符合绿色环保要求。

Toxin free and safe: does not contain cadmium and lead, thus safety of human body is ensured, and materials can be recycled, meeting the requirements of environmental protection.



抗静电：木材的抗静电特性使得产品不吸附灰尘，易于清洗，优质的木材绝缘体并给您更为贴身的保障。

Antistatic: due to antistatic characteristics of wood, the products will not absorb dusts and are easy to clean. Good wood insulators give you tender protection.



定制服务：每一类产品我们都充分考虑您的个性需求；设计出多个款式供您选择。并可为您提供独具个性的款式定制服务。

Customized service: every product takes full consideration of your individual needs, and many style styles are available for your choice. Custom made service of individualized styles is provided.



防滑设计：独有的防滑握手设计，给予您更可靠的呵护，更省力并确保安全，高质量的尼龙握手让用户享受舒适手感。高光洁度无孔表面处理确保了产品良好观感。

Anti-slippery design: unique anti-slippery handhold design gives you more reliable protection, thus saving labor and ensuring safety. Good quality wood handhold makes holding comfortable. High smooth pore free surface treatment ensures good product appearances.



HB298

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	32
900	450	32
1200	500	38
1800	500	50



HB395

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
600	400	25





Bold lines are the rigidity of life



HB237

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
900	860	50.8
1200	1160	50.8



HB250

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
800	500	38
1200	800	38



HB321

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	450	40



HB322

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	425	38



HB226

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	300	32



HB335

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	325	32
600	425	32



HB181

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
300	120	25
300	180	30



HB273

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
300	120	25
300	180	30





HB195

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	e
500	350	30x30
800	550	38x38



HB257

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	e
600	500	30x45



HB391

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	e
600	425	40x20



HB196

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold

L	C	e
500	470	30x30
800	762	38x38



Art of living

The source of inspiration comes from the profound understanding of life art, with pure aesthetic feeling, unique design touches the mind's eye.

灵感来源于对生活的深刻感悟，以纯粹的美感，独特的设计触动心灵目光



HB258

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
450	425	25
800	775	25



HB228

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C (1)	C/C (2)	Φ
1000	425	425	38



HB311

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1300	900	38



HB310

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	1450	40x20
300	225	30x15



HB331

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C (1)	C/C (2)	Φ
1800	700	724	32





Endowing You A Colorful
Life



HB645

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/c (1)	C/c (2)	Φ
2000	860	860	32





HB239

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	900	38




HB649

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	900	38






HB650

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Rose Gold

L	C/c (1)	C/c (2)	C/c (3)	Φ
2230	500	1200	500	32



HB651

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Rose Gold

L	C/c (1)	C/c (2)	C/c (3)	Φ
2000	550	600	550	32




EP HANDLE

Door handle

Artistic pai

豪派






HB301

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	880	45



HB288 Art

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	923	45




HB287 Torch

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1500	900	45





HB286

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1300	1000	32
1100	800	32



HB484

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
 PVD Shiny / PVD Pose Gold

L	C/C	Φ
1200	600	50



我们始终遵循：舒适、生态、文化、唯美的设计生产理念，极力把工业意识形态和温情人道主义统一在一起。

DIVERCIFIED AESTHETICS



Let you feel the essence of
oriental verve



HB344 Earrings
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	€/€
530	500



HB502 Ripple
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	€/€
550	200
310	115






HB505

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
460	335	25



HB506

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C
450	385



HB289

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C
500	435



HB500

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C
450	125
250	100



HB399

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
290	200	25



HB348

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
260	200	25



HB400

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
300	180	25



HB350

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C
415	360



Committed To The Pursuit Of A Better
Life In Every Detail



HB501

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
415	120	30
315	100	25



HB503

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C
450	320
340	230



HB290

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C
370	280



HB316

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
350	150	25





EPAI started with the door handle the point of contact between the space and people and binds things to create new value.



HB651

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Φ
610	570	42



HB568

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C
600	450





HB101 AL

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Ø	QR
450	300	30x12	
1000	800	40x20	



HB211 AL

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Ø	QR
300	180	30x12	
450	300	30x12	
600	425	38x15	



HB229 AL

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Ø	QR
600	425	38x15	
1800	750	38x15	



HB210 AL

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	Ø	QR
600	425	40x22	
1800	1300	40x22	



Aluminium & magnesium

ARTISTIC PERSONALITY Type



HB108

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	QR
170	125	
250	200	



HB102

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	QR
152	120	
250	210	



HB107

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	QR
162	110	
250	185	



HB103

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	QR
145	110	
250	210	



HB105

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	QR
145	100	



HB104

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/C	QR
152	120	
200	150	



HB109

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold


L	C/C	QR
170	125	
250	150	


EP HANDLE

Door handle

Flexible pai

柔派





Showing You Both Fashion
And Simpleness Fully



TSL-H-32

ECO PSS/SSS

Size	L	C/C	Φ
H-32200	295	200	32
H-32300	395	300	32
H-32400	495	400	32
H-32600	740	600	32
H-32800	990	800	32
H-32100	1190	1000	32
H-32120	1390	1200	32



TSL-H-25

ECO PSS/SSS

Size	L	C/C	Φ
H-25200	295	200	25
H-25300	395	300	25
H-25400	495	400	25
H-25600	740	600	25



The People Oriented Design Concept



When Everything Returns To Its Origin,
Your Life Is Really Quite Simple



TSL-C-25

Size	L	C/C	Φ
C-25500	900	500	25
C-25800	1200	800	25



TSL-S-32/25 Aostu ECO PSS/SSS

Size	L	C/C	Φ
S32300	450	300	32
S32450	600	450	32
S25300	600	450	25



Good at seeking for inspirations
from life



TESLA Series



TSL-MOVE-S-25 Verona Eco

Size	L	W	H
2525300	395	300	25x25
2525400	495	400	25x25
2525600	795	600	25x25
2525800	995	800	25x25



TSL-MOVE-R-25 Fornari Eco



Size	L	W	H
25300	395	300	25
25400	495	400	25
25500	695	500	25
25600	795	600	25





HB-9100A-01

Main accessories




HB-9100A-02

Main accessories



HB-9100A-05

Main accessories




HB-9100A-06

Main accessories




HB-9100A-03

Main accessories



HB-9100A-04

Main accessories



HB-9100A-07

Main accessories



HB-9100A-08

Main accessories





HB-9100A-09

Main accessories



HB-9100A-10



HB-9100A-11



HB-9100A-12



HB-9100A-13



HB-9100A-14



HB-9100A-15



HB-9100A-16



HB-9100A-17



主体	脚	脚片	胶垫	安装芯子	螺丝	紧定

Lite handle series


38.1/44.5mm

Round stainless steel pipe

Lite handle series


Only need to cut the tube, no welding is required
Any size for easy installation

It's easy to install.



ht round welded

form 1,500mm up to 2,100mm




6522

Stainless steel

Tube Ø35x1.5 mm

For reasons of structural strength, we recommend ordering a factory-welded version drawing on the elements of the HT Round kit in cases where the A dimension lies between 1,500 mm and a maximum of 2,100 mm.



The pulls in the welded series EPAI 6522 are produced to order. This involves selecting the combination of brackets desired from the illustration alongside and citing the appropriate code numbers.

It is also necessary to state the A dimension, which defines the fixing distance from the centre of the borehole for one bracket to the centre of the borehole for the other.

By adding or subtracting the differential dimensions given on page 438, we calculate the length of the pull at the works prior to welding.

Reference :

When using elements of the HT Round kit - whether for self-fabrication or as factory-welded parts - attention needs to be paid to structural specifications and conditions locally. This hefty product series is not a substitute for gym bars, neither should it be used as a safety rail at particularly hazardous openings in buildings.

If in any doubt, please contact the architect or engineer in charge.

For detailed information on fixing, please turn to page 462.

SCHEME OF INSTALLATION

MANUFACTURE AND sales of various architectural and components technical
Data subject to change all rights reserved 2020 by EPAI.


生产与销售各种建筑设施与组件技术，
数据主题的变更有一派版权所有 2020

- All the door handle good quality get better control, we strategically produce high-quality stainless steel pipes by ourselves.
- All the handles we produce are made of stainless steel pipes with international special quality.
- 304 stainless steel parts in the product are made of pipes with 1.2mm-1.5mm wall thickness.
- All handle can be installed on glass door, wooden door, and framed door.
- Major fittings in handle are made of stainless steel, minor are made copper or steel.
- 12mm-15mm handle installation holes are suggested on glass door.
- Please install the handles after finishing building decoration.
- Clean the handle at least once a week.

- 所有的门把手质量得到更好的控制，我们战略性地自己生产高品质的不锈钢管。
- 我们生产的拉手全部选用符合国际特高品质的不锈钢管进行生产。
- 产品所使用 304 不锈钢均使用 1.2mm-1.5mm 厚壁管生产。
- 所有拉手均可以安装于玻璃门、木门、有框门。
- 所有拉手配件（螺丝对抽等）主要是不锈钢，附属配件有铜或者铁。
- 玻璃开孔尺寸建议开直径 12mm ~ 15mm。
- 请在装修结束后再安装拉手。
- 每周至少将拉手清洁一次。

安装位置 / Mounting Position

建议安装手柄与地板控制 1100mm 中心测量。
It is recommended to mount handles with a floor-to-grip-center measurement of about 1100mm.




根据门把手及配件，请确保有足够的空间在门端（※1）拉侧（※2）避免手指捏。
Depending on the Door Handle and fittings please ensure adequate space at the door end (※1) & pull side (※2) to avoid fingers being pinched.

安装孔 / Mounting Hole




Fixing accessories

Adaptive scale




Single side fixing A1

> φ25	2 each set screws M8X30	Fix in glass door 8-15mm
> φ32	2 each set screws M8X70	Fix in timber door 30-50mm
> φ25	2 each set screws M6X30	Fix in glass door 8-15mm
	2 each set screws M6X70	Fix in glass door 30-50mm




Single side fixing A2

> φ25	2 each set screws ST 6.3x40	Fix in glass door >30mm
-------	-----------------------------	-------------------------



Single side fixing A3

> φ25	2 each set screws M8X45	Fix in glass door 8-12mm
> φ25	2 each set screws M8X75	Fix in timber door 35-45mm
	2 each set screws M6X50	Fix in glass door 8-12mm
	2 each set screws M6X75	Fix in timber door 35-45mm



Single side fixing B1

> φ25	2 each set screws M8X45	Fix in glass door 8-12mm
> φ25	2 each set screws M8X75	Fix in timber door 35-45mm
	2 each set screws M6X50	Fix in glass door 8-12mm
	2 each set screws M6X75	Fix in timber door 35-45mm

Special Bend Handle

Welcome customers DIY order

Design proposals


Pull handles round series

EPAL handle

EPAL has superb bending technology

Produce a variety of line and shape door handles

The following is the reference provided:



The stainless steel handle design shown here aims to provide creative assistance to architects, planners, designers, retailers and builders. Please be sure to provide detailed information on door type, material and weight. We must provide accurate drawings before we can provide quotes or out-of-stock orders.


Handling details cf. page 578



Design proposals

Pull handles round series

When the handle is installed on the door, it is actually an artistic technique, which often allows the commercial space to enhance the style through different combinations of shapes.



FOR detailed information on fixing, please turn to page 454.


Special Bend Handle

Welcome customers DIY order

Design proposals

Pull handles round series

EPAL handle
EPAL has superb bending technology
Produce a variety of line and shape door handles





6801
Stainless steel

Tube $\Phi 35 \times 1.5\text{mm}$
stock length 3,000 mm

The ht round kit enables safety rails, handle systems, handrails etc. up to 1,500mm in length to be cut to size, fabricated and fitted on site with the aid of the appropriate tools


where lengths in excess of 1,500 mm are concerned, we would recommend factory welded hardware



FR6715+FR6715
FR6716+FR6716
C/C+32mm=L

FR6717+FR6717
C/C+40mm=L

FR6718+FR6718
C/C+108mm=L




FR6715+FR6717
C/C-4mm=L

FR6715+FR6718
C/C-38mm=L

FR6717+FR6718
C/C-74mm=L

Tube length and A size are important for fabrication, fitting and ordering purposes. The A size defines the fixing distance from the centre of the borehole for one bracket to the centre of the borehole for the other. tube length is arrived at by adding or subtracting the differential sizes given along-side from the A size

EPAL recommends reinforcing door pulls from the ht round kit that are to be fitted to heavily used doors by means of the accessories available



Reference:

when using elements of the ht round kit whether for self-fabrication or as factory welded parts attention needs to be paid to structural specifications and conditions locally. This hefty product series is not a substitute for gym bars, neither should it be used as a


safety rail at particularly hazardous openings in buildings. if in any doubt please contact the architect or engineer in charge.

For detailed information on fixing, please turn to page 462

Design proposals


Pull handles round series

When the handle is installed on the door, it is actually an artistic technique, which often allows the commercial space to enhance the style through different combinations of shapes.



6715
Stainless steel

Straight bracket, angled 90° inwards, to match tube 35 x 1.5mm Φ




6716
Stainless steel

6716 14 r.h.
6716 15 l.h.


Bracket with 45° cranking, angled 90° inwards, to match tube 35x1.5mm Φ

Illustration r.h.



6717
Stainless steel


Straight bracket, angled 90° inwards to match tube 35 x 1.5mm Φ



6718
Stainless steel

Bracket for swing doors, to match tube 35 x 1.5mm Φ

























Screw hole $\Phi 8$, 5mm




















Safety clearance 52mm

Once the tube has been cut to size (dimensions A = differential measurement) matching brackets are slotted into the tube ends and fastened with screws from the top

Door handle MATERIAL CODE

 <p>Antique Bronze YB</p> <p>The yellow bronze color system has a strong visual impact, and is heavy, natural, profound and harmonious.</p>	 <p>Red Brass RB</p> <p>It gives people a sense of stability and peace of mind, and a sense of time and weight.</p>	 <p>Satin BSN</p> <p>Sanding is to make the surface of the board smooth and increase the strength of the surface at the same time, the thickness is uniform, suitable for various veneer processes, suitable for various standard structural parts, and convenient for decoration and production.</p>
 <p>Polished Antique Brass PAB</p> <p>The brightness of the surface gives the heavy bronze a sense of time and makes the texture more active.</p>	 <p>Satin Antique Brass SAB</p> <p>Such as the experience of thousands of years of precipitation, heavy, simple, full of sense of history.</p>	 <p>Alumimum AL</p> <p>Space aluminum is an aluminum-magnesium alloy that has undergone special treatment such as high-temperature oxidation. It can withstand thousands of degrees of high temperature and strong impact. It is an aluminum product with high strength and anti-corrosion properties, and it is lightweight and durable.</p>
 <p>Titanium TI</p> <p>Titanium is extremely hard, light in weight, and can resist erosion. Its unique color tone has a good performance whether it is high polish, mercerized or matte.</p>	 <p>Stellate Spots Titanium SP+TI</p> <p>Titanium is extremely hard, lighter, and can resist erosion. Star holes are made on the surface to make titanium no longer monotonous and richer in layers.</p>	 <p>Stellate Spots Sand SP+SN</p> <p>The low-key sanding surface is marked with star holes, making the sanding layer more abundant, and it looks like stars from a distance.</p>
 <p>Titanium Black TB</p> <p>Titanium black is an environmentally friendly non-toxic inorganic pigment with pure blackness, which meets food-grade safety standards.</p>	 <p>Sand Black SB</p> <p>Unique sand-like black, noble, low-key and luxurious, with subtle changes in color.</p>	 <p>Matted Black MB</p> <p>A kind of black. The matte surface and fine particle processing make the black more mysterious and noble.</p>
 <p>Acrylic ACR</p> <p>It has good transparency, chemical stability, weather resistance, easy dyeing, easy processing, beautiful appearance, and has a wide range of applications in the construction industry.</p>	 <p>Black Leather BL</p> <p>The natural black skin pattern, black mysterious, is a color with many different cultural meanings. The combination of black and white will never go out of style and has always been at the forefront of fashion.</p>	 <p>Brown Leather BRL</p> <p>It is elegant, simple, solemn and elegant, and is a relatively subtle color.</p>
 <p>Orange Leather OL</p> <p>It has bright, gorgeous, healthy, excited, warm, joyous, brilliant, and easy to move color sense.</p>	 <p>Red Leather RL</p> <p>Red is a symbol of life, vitality, health, passion, vigor and joy.</p>	 <p>Yellow Leather YL</p> <p>It feels comfortable and gives a light, transparent, brilliant and hopeful color impression.</p>
 <p>Red Teak RT</p> <p>Corrosion-resistant, abrasion-resistant, shiny as new, beautiful pattern, elegant color tone, good stability, and low deformation.</p>	 <p>Maple MA</p> <p>Maple wood is not only a wonderful flower in the natural landscape, but also a good material for architectural decoration. The colors are coordinated and unified, highlighting the quiet, elegant and practical style.</p>	 <p>Oak OAK</p> <p>It has a relatively distinct mountain-shaped wood grain, and the touch surface has a good texture. It has excellent toughness and can be processed into various bends as required, which is quite aesthetic.</p>
 <p>Sapele SA</p> <p>The bark surface has irregular shallow pits. Log sections often show rust color. The track panel has dark and light ribbon patterns and variable ribbon luster, so it presents the colors of traditional Chinese landscape painting and ink painting.</p>	 <p>Rose Wood RW</p> <p>Rosewood has fine wood, beautiful color and clear texture. It is a very rare and precious material for furniture and handicrafts.</p>	 <p>Fraxinus mandshurica Rupr FMR</p> <p>The wood structure of Fraxinus mandshurica is thick, the texture is straight, the pattern is beautiful, shiny and hard. It has the characteristics of elasticity, good toughness, wear resistance and moisture resistance.</p>

 <p>Beech BH</p> <p>The hardness of beech wood is higher than ordinary wood, and the wood is relatively heavy, which is also a manifestation of the "nobleness" of beech wood.</p>	 <p>Teak TE</p> <p>Teak has strong corrosion resistance and abrasion resistance to a variety of chemical substances, its gloss is as bright as new, the pattern is beautiful, the color is elegant and durable, the stability is good, and the deformation is small.</p>	 <p>Black Walnut BW</p> <p>Wood has high specific gravity, hardness, strength and rigidity, and strong impact resistance. It is a symbol of nobility and elegance.</p>
 <p>Striped Wood STW</p> <p>Striped wood is pleasing to the eye, with harmonious texture, fine and uniform structure, heavy and hard material, stable dimensions of dry wood, bright rhyme and breeze, and quaint fashion can be well reflected.</p>	 <p>Wenge Wood WW</p> <p>It is named because of the texture similar to "chicken wings". The texture is staggered, clear, and the color is abrupt. Among the mahogany, it is a relatively beautiful wood with a slight fragrance.</p>	 <p>Ebony EB</p> <p>Ebony wood with stripes arranged in different shades. The structure is simple and uniform, corrosion resistant, durable, hard and heavy, and delicate. It is a very rare and precious material for furniture and handicrafts.</p>
 <p>Matted Black Wood MBW</p> <p>A kind of surface treatment of logs, the color is elegant and durable.</p>		



 <p>BCR Brushed chrome</p>	 <p>ABCU-M Antique Brass (matt lacquer/brushed effect)</p>	 <p>AVFE-M Antique pewter/iron (matt lacquer/vibratile effect)</p>
 <p>MNI Matt nickel</p>	 <p>AVCU-M Antique Brass (matt lacquer/vibratile effect)</p>	 <p>PCR Polished chrome</p>
 <p>MBLK Matt black(RAL9017)</p>	 <p>PCU-B Polished Brass(bright lacquer)</p>	 <p>ORB-B Oil rubbed bronze (bright lacquer)</p>
 <p>AVBR-M Antique english/brass (matt lacquer/vibratile effect)</p>		

EP LOCKING LADDER PULLS

Architectural Hardware

Excellent pai

锁派





Architecture/Landscape

OEM&ODM EXPORT

SINCE 1997

Major manufacturer and supplier of door hardware
Builder hardware & furniture hardware & sliding door hardware



Witness the perfect quality in the details

epai Locking Ladder Pulls new



- Locks Operate at a Comfortable
- Height Above the Floor
- No Kneeling or Bending to
- Lock or Unlock Doors
- Six Styles in Stock, Custom
- Sizes Available on Special Order
- Made of Durable Alloy 304/316 Stainless Steel Tubing
- Single and Double Locking Options Available

The newest and most practical option for 'all-glass' entrances is EPAI's new Locking Ladder Pulls. No more kneeling down to unlock the entry doors in the morning, or having to bend over after a long day at work to reach for the Lock at the bottom edge of the door. Simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. EPAI locking Ladder Pulls have a fully concealed deadbolt locking mechanism with models available that lock only into the floor, or both the floor and the header. We also offer Horizontal Pulls that lock into a jamb or sidelite. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass.

The newest and most practical option for 'all-glass' entrances is EPAI's new Locking Ladder Pulls. No more kneeling down to unlock the entry doors in the morning, or having to bend over after a long day at work to reach for the Lock at the bottom edge of the door. Simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. EPAI locking Ladder Pulls have a fully concealed deadbolt locking mechanism with models available that lock only into the floor, or both the floor and the header. We also offer Horizontal Pulls that lock into a jamb or sidelite. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass.



epai 84" Double Locking Ladder Black Ti Pulls new



- Locks at Both Top and Bottom
- Lock Operates at a Comfortable
- 47-1/4" (1200mm) Above the Floor
- 1-3/8" (35mm) Diameter Alloy 304/316
- Brushed Stainless Steel Tubing

Our new Double Locking Ladder Black Ti Pulls have a fully concealed deadbolt locking mechanism that is operated at 47-1/4" (1200mm) above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Black Ti Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass. They lock both at the header or transom and floor for security. Available in brushed stainless steel. Two ART. No.58DKSS Dustproof Keepers are included with each locking ladder Black Ti Pull. Optional Ladder Keepers for glass transoms are available separately (see top right). Please visit www.epai-hardware.com for details. Please visit www.epai-hardware.com for details.


Easy to operate Designer Thumbturn



Double Door Installations Require Two Locking Handles



ART.No.LBK1BTSS
1-3/8" (35mm) Diameter
Brushed Stainless
Ladder Black Ti Keeper




ART.No.LLP 084BTSS
Brushed Stainless Steel Double
Locking Ladder Black Ti Pull Handle

epai 59" Locking Ladder Pulls **new**



- Locks Into the Floor Only
- Lock Operates at a Comfortable 47-1/4" (1200mm) Above the Floor
- 1-3/8" (35mm) Diameter Alloy 304/316
- Stainless Steel Tubing

Our new Locking Ladder Pulls have a fully concealed deadbolt locking mechanism that is operated at 47-1/4" (1200mm) above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass. They lock into the floor only, and are available in brushed stainless steel One ART. Please visit www.epai-hardware.com for details.



ART.No.LLP-001-35
Brushed Stainless Steel
Locking Ladder Pull Handle



Easy to operate Designer Thumbturn



Double Door Installations Require Two Locking Handles




epai 53" Locking Ladder Pulls **new**



- Locks Into the Floor Only
- Lock Operates at a Comfortable 47-1/4" (1200mm) Above the Floor
- Available in Brushed Stainless
- 1" (25mm) Diameter Alloy 304/316
- Stainless Steel Tubing


Interior Installation With Black Leather Wrapped Locking Ladder Pull Handles



Easy to operate Designer Thumbturn



Our new 53" (1346mm) Locking Ladder Pulls have a fully concealed deadbolt locking mechanism that is operated at 47-1/4" (1200mm) above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass. They lock into the floor only, and are available in brushed stainless steel or for steel. One ART. Please visit www.epai-hardware.com for details.



ART.No.LLP-002-25
Brushed Stainless Steel
Locking Ladder Pull Handle

epai 24" Horizontal Locking Ladder Pull and Keeper new



- Horizontal Locking Ladder Pull
- Brushed Stainless Steel Tubing
- Handle for Contemporary Look
- 1" (25mm) Diameter Alloy 304/316
- Can Be Used on Double and Single Doors

Our new Horizontal Locking Ladder Pull with give 3/8" to 1/2" (10 to 12mm) tempered glass doors a contemporary look. They have a fully concealed deadbolt locking mechanism that locks into a complementary Horizontal keeper for double door or single door with fixed glass panel installations. On single door installations the concealed locking mechanism engages into a Dustproof Keeper on the wall. No need to bend, simply turn key or thumbturn located at a comfortable height above the finished floor to lock or unlock doors.

Horizontal Locking Ladder Pulls are available in brushed stainless steel. One ART. Please visit www.epai-hardware.com for details. Placement of pulls in relation to vertical edge of door is critical and dependent upon application, handing of doors, and jamb conditions.





ART.No.LBk 3SS

Horizontal Locking Ladder Pulls Handle

ART.No.LLP024SS

Horizontal Keeper Ladder Pulls Handle



Double Door Installations Require One Locking Handle and One Keeper Handle, as well as a Bottom Patch Lock Installed on the Inactive Leaf to Properly Secure the Pair of Doors



Single Door Installations Require One Locking Handle and a Dustproof Keeper



Easy to Operate Designer Thumbturn

epai 59" Locking Ladder Squar Pulls new



- Locks Into the Floor Only
- Lock Operates at a Comfortable 47-1/4" (1200mm) Above the Floor
- 1-1/2"x1" (38.1x25.4) Alloy 304/316 Stainless Steel Tubing


Our new Locking Ladder Pulls have a fully concealed beadbolt locking mechanism that is operated at 47-1/4" (1200mm) above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass. They lock into the floor only, and are available in brushed stainless steel One ART. Please visit www.epai-hardware.com for details.



Easy to Operate Designer Thumbturn



Double Door Installations Require Two Locking Handles



ART.No.LLP 059SQSS

Brushed Stainless Steel Locking Ladder Pull Handle

epai 84" Double Locking Ladder Squarar Pulls **new**



- Locks at Both Top and Bottom
- Lock Operates at a comfortable
- 47-1/4" (1200mm) Above the Floor
- 1-1/2"x1" (38.1x25.4) Alloy 304/316
- Brushed Stainless Steel Tubing

Our new Double Locking Ladder Pulls have a fully concealed deadbolt locking mechanism that is operated at 47-1/4" (1200mm) above the floor. No need to bend, simply turn a key or thumbturn located at a comfortable height above the finished floor to lock or unlock your doors. These Locking Ladder Pulls are intended for use with glass doors made from 3/8" to 1/2" (10 to 12mm) thick tempered glass. They lock both at the header or transom and floor for ultimate security. Available in brushed stainless steel. Two ART.No.58DKSS Dustproof Keepers are included with each locking ladder Pull. Optional Ladder Keepers for glass transoms are available separately (see top right). Please visit www.epai-hardware.com for details.

Easy to operate Designer Thumbturn




Double Door Installations Require Two Locking Handles



ART.No.LBK3SS

1-1/2"x1" (38.1x25.4)
Brushed Stainless Ladder Keeper



epai 84" Double 1-3/8" (35mm) Ladder Keeper **new**

- 1-3/8" (35mm) Diameter
- Alloy 304/316 Brushed Stainless Steel Tubing

This Ladder Keeper is designed to work with ART.No.LLP084SS Locking Ladder Pulls only when used with a glass transom. Intended for use with 3/8" to 1/2" (10 to 12mm) tempered glass. Brushed stainless steel finish to complement the Locking Ladder Pulls. Minimum order is one each.



epai 1-3/8" (35mm) Single Hole Keeper **new**

- 1-3/8" (35mm) Diameter
- Alloy 304/316 Brushed Stainless Steel Tubing

This Keeper only requires a single hole in the glass. It is designed to work with ART. No.LLP084SS Locking Ladder pulls only when used with a glass transom. Intended for use with 3/8" to 1/2" (10 to 12mm) tempered glass. Brushed stainless steel finish to complement the Locking Ladder Pulls. Minimum order is one each.



epai 1" (25mm) Ladder Squarar Keeper **new**

- 1" (25mm) Diameter
- Alloy 304/316 Brushed Stainless Steel Tubing

This Ladder Keeper is designed to work with ART. No.'s LLP084SQSS, Locking Ladder Pulls only when used with a glass transom or sidelite. Intended for use with 3/8" to 1/2" (10 to 12mm) tempered glass. Brushed stainless steel finish to complement the Locking Ladder Pulls. Minimum order is one each.



epai Dustproof Keeper **new**

- For epai Locking Ladder Pulls
- Accepts 5/8" (16mm) Throw Bolt
- Alloy 304/316 Brushed Stainless Steel

Our new Dusproof Keeper is intended to work with all EPAI Locking Ladder Pulls with a concealed deadbolt locking mechanism. Brushed stainless steel finish. Requires a hole 1" (25mm) in diameter by 1-7/8" (48mm) deep. Minimum order is one each.



EP LEVER HANDLE

Door lever handle

Altruism pai

品派



Elegant style classic and simple life



**Product
caption**


EPAL series door lock handle is one of the high-end architectural decoration hardware accessories produced by Newhuabao Hardware Decoration Products Factory. The product has beautiful appearance and is suitable for wooden doors and aluminum alloy doors of hotels, shopping malls, office buildings and homes.

**Function
and
advantage**


- According to ISO9001:2000 version of the international quality system for product quality process control, in line with the country The GB/9301-88 standard better guarantees the stability of product quality.
- The 304 stainless steel used in the products is produced using 1.2m thick-walled tubes, which meets national standards. Better guarantee the strength of the product.
- All door lock handles can be installed on wooden doors and framed doors to suit all aspects of application.
- The surface of all door lock handles can be treated with high quality for mirror, sand, semi-sand, and titanium.



FINE WORK
LOCK TO SAFETY



LEVER ON ROSE WITH ESCUTCHEON




Features

Lever handle can fit with either rose system or backplate system. For the rosette, 1.2mm of zinc plated stainless steel material is used on the inner rose while 0.8mm thickness of outer rose is formed by stamping which is made of stain less steel.


Variety styles and creative designs fulfilling different demand of customer such as public usage, commercial facilities, apartment and villas decoration, BESTKO chooses stainless steel to be material of doorfurniture as it is an excellent material for architectural hardware since its surface is extremely resistant to corrosion, knocks, scratches and abrasion. The durability of the material is such that under normal usage the appearance and function of stainless steel door furniture will remain like new, for life.

Installation Necessary fitting









Rosette tonde ed ovali con molla di ritorno.
Sottorosetta in lega metallica e coprirosetta in
acciaio inox AISI 316L.



Rosette tonde con molla di ritorno per fissaggio contrapposto. Utilizzano serrature con fori ad interasse 38mm. Sottorosetta in lega metallica e copirossetta in acciaio inox AISI 316L.



Placche rettangolari-
quadre-semicircolari
in acciaio inox AISI
316L, spessore 2mm.



From the very beginning of the innovative design



EA-6601 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6344 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6330

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-63111

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6382

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6003 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6328 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6305 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6395

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-7062

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-7064

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-63112 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6337 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-6331 Tube SSS

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-70286

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-60354

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304



EA-70131

Material		SUS 304 Stainless Steel
Thickness		35mm to 45mm
Finishes available	Satin Stainless Steel-SSS	
	Polished Stainless Steel-PSS	
	Titanium Plated	

304

PLATE



FINISH



If there is a color difference between the printed material and the object, please take the color of the actual product as the criterion.



EA-70134

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-70258

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-70658

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6322

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6326

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6316

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6339 Tube SSS+WD

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6340 Tube SSS+WD

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



PLATE



EA-6601

Material
SUS 304 Stainless Steel

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6701

Material
SUS 304 Stainless Steel

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



EA-6403

Material
SUS 304 Stainless Steel

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304



SPINDLE:1



SPINDLE:2



SPINDLE:3



ART:01



ART:02/45X72



ART:03/48X85



ART:04/55X72



ART:04/55X72



ART:04/55X72



ART:04/55X72

FINISH



WELCOME

MALIGAYANG PAGDATING welkom

welkom 환영합니다

Selamat datang ยินดีต้อนรับ

ترحيب

ຍິນດີຕ້ອນຮັບ

ນຮັບ

환영합니다

WIE

歡迎

желанный

Bienvenue willkommen

желанный WELCOME Καλώς ήρθες

欢迎 ようこそ

benvenuto willkommen ترحيب



To Our Valued Customers

We would like to say "Thank You" to all of our customers and employees. Your help and encouragement has made it possible for E-PAI Metal Products Company to grow into the industry leader, and we plan to continue growing. Our goal is to listen, and challenge ourselves to better serve our customers.

Because of you we set our standards for innovation, service, and selection of quality products at the highest level. We consider it our responsibility to bring new technology to our industry so that we can all prosper.

We believe the Internet is the tool of the future, and E-PAI Metal Products Company is making a major commitment to the development of our web site to be your source for information and technical support. Access to all E-PAI products and services is available to you at epai-hardware.com, the most comprehensive and convenient information source we can offer our customers.

The E-PAI web site is a powerful communications device between business and the E-PAI people who serve you. It also allows us to empower you to have more flexibility and control of your orders, making it possible for you to contribute in the process of our providing you with excellent service. We invite you to visit us at epai-hardware.com. We are ready to provide you with 7*24 online service.

This the catalog is the latest evidence of our commitment to bring you the finest and most comprehensive line of glass and architectural hardware. We are proud to make it available to you.

E-PAI's success has been made possible through our transition into manufacturing. We are producing a growing number of products to fill all of your requirements, and we will continue to listen to your ideas for products to manufacture for our industry. As always, we plan to expand our product line to be a continuing source for the glass industry. We are also adding to the number of distribution facilities we use to serve you, with plans for more to come overseas.

Again, we thank you for your continued support. Without your ideas for better service, new products, and generally high expectations, we would not have enjoyed our growth and success. Let's continue our success together.

epai®

—iir®

NB®
N. H. B.

epai®
—iir

GripPRO®
SINCE-1997

NEWHUABAO (Hardware) Industrial Co., Ltd.

E-PAI Metal products Co.Ltd.

EPAINOX Technology (GD) Manufactures Co., Ltd.

Architectural hardware, E-PAI is your first choice

Your excellent supplier — Epai

E-PAI MANUFACTURING



E-PAI Manufacturing

- Making Quality Products for Almost 23 years
- Use Advanced Pdca Manufacturing Process
- Machinery And Technical Expertise Are Fully Utilized In Production.
- Strictly control quality management, we produce stainless steel pipes by ourselves



E-PAI MANUFACTURING

E-Pai's Precision Design And Engineering Is The Key To Quality



E-PAI is ISO9001-2015 Certified

It all starts with ISO9001-2015 certification . We produce over 3,000 items for the industries we serve in our ISO9001 Certified manufacturing facilities . Our adherence to the strictest of standards reflects the commitment of our employees to provide the highest quality products.

Innovation Makes Us a Leader

E-PAI has been manufacturing and providing new and innovative products for nearly 28 years, and we know we can't just wait and die because if we do, others will surpass us. And this is not the whole reason to become a leader. Many E-PAI products incorporate features that others don't, because we feel that no product is so good that it cannot be improved.

E-Pai Quickly Customize The Project And Shorten The Delivery Cycle

The goal of the E-PAI quick customization program is to achieve the shortest delivery time from sketch to quotation to manufacturing to delivery of all products produced by E-PAI. This can be achieved in a variety of ways, one of the important factors is to let the whole process proceed "internally." Allows electronic manufacturing control processes, such as mold research, raw material procurement, cutting optimization, high-speed manufacturing, surface treatment, powder coating, batch coating, packaging, and transportation, so that products can be delivered to you more quickly and efficiently.

Engineers Provide Support For Product Development, Testing And Production

E-PAI's engineering department reviews the design and work plan with customers to solve product feasibility, safety issues, and other solutions, so as to provide us with accurate quotations and more accurate technical support.



Experienced, Knowledgeable Team Dedicated From Start to Finish

Our staff has decades of experience in the various stages of manufacturing. Our people draw upon their resources to find innovation and efficiency in our manufacturing processes , allowing us to build top quality products at prices that are always competitive. From the procurement of raw materials to final shipment of finished goods , it's our experience that makes the difference.

Do you have a new product that could be made by E-PAI ? Need help with a current products ? [Contact us](#)

We welcome the opportunity to serve you, and are committed to providing your business with the services that produce quality products. To discuss the possibility of working with E-PAI manufacturing we invite you to contact E-PAI technical sales at +86(757)85751892 in the China. To send e-mail go to manager@epai-hardware.com, click on contact us.

E-PAI MANUFACTURING

E-PAI Manufacturing's Strengths Become Your Strengths

E-PAI's Manufacturing Quality

E-PAI Manufacturing has decades of product manufacturing experience in the industries we serve. We have profited from how to manufacture high-quality products, and in a cost-effective way. We also learned how to satisfy customers with high standards.

Automatic Stainless Steel Pipe Production Line By Our selves



E-pai has a full-automatic stainless steel pipe production line, and the product conforms to iso 9001-2015 quality embodiment control.

There are 28 production lines with the specifications of round pipe and square pipe covering 9.5mm-326mm and the thickness of 0.4mm-8mm.

The surface treatment is generally superior to the market average level of 800# mirror surface and 320# hair line, which effectively enhances the anti rust and anti rust ability of stainless steel pipes.

The production materials 201, 304, 316 and 316L are all raw materials of high-quality and well-known brands. The materials have their own products through years of production tests, and effectively control their machining performance and ductility.

E-PAI MANUFACTURING

Let E-PAI Manufacturing Put Our Expertise and Resources to work for You

E-PAI Can Meet Your Manufacturing Needs With Our Extensive Array of Equipment and Our Knowledgeable Staff.

E-PAI can meet the manufacturing needs of businesses large and small. E-PAI Manufacturing offers a variety of services to help you produce high quality products you will be proud to put your name on. We manufacture quality tools, parts, and accessories for some of the world's largest corporations, while also serving the needs of smaller, more specialized businesses. E-PAI Will help you make products you can provide to your customers with complete confidence.

What E-PAI Offers as Your Manufacturing Partner

E-PAI's capabilities encompass almost every phase of the manufacturing process, from the early stages of design, all the way through to packaging and shipment. We can supply such services as:

- Design
- Bending
- Powder
- Milling
- Machining
- Finishing
- Shipping
- Assembly
- Polishing
- Packaging
- Cutting
- Coating
- Cleaning
- Engineering
- Welding

Let E-PAI Manufacturing Work for You



Stainless steel precision wax casting

Mature stainless steel precision wax casting, rich production experience, can meet your new development mold, product design, production casting, mechanical production, surface polishing, electroplating needs in all aspects.



CNC plate bending machine

E-pai has advanced bending equipment for steel plate, which can produce bending plate with thickness of 0.4mm ~ 16mm



15000w CNC laser cutting SLCF-G2580V/F

With advanced high-power 15000w laser cutting equipment, we can provide high-quality and solid support for your various artistic designs and high-quality sheet metal processing.

E-PAI's Machine Shop


Various hardware processing equipment to support different products.

- Complete Machine Shop Capabilities
- Mills, Lathes, Drills, Saws, Etc
- Cutting, Grinding, Drilling, Tapping, and More



E-PAI MANUFACTURING

Use E-PAI's Equipment and Processes to Develop Your Project



E-PAI's Metal Shear and Punch Department

- Metal Shearing of Up to 3 / 16 (4.7 mm) Thick Mild Steel
- Maximum Shearing Width of Up to 14 (4.2 m)
- E-PAI Manufacturing has 10 Punch Presses with Hundreds of Dies
- Custom Dies Made Quickly for Special Applications

E-PAI's Welding Center

- Over One Dozen Fully Equipped Welding Stations
- Welding Capabilities Include Aluminum, Brass, Stainless Steel, and More



E-PAI's Bending Department

- E-PAI has Over a Dozen Rotary Hydraulic Benders
- E-PAI has Hundreds of Dies for a Variety of Profiles and Radii
- E-PAI Offers a 3-Roller Bender to Bend Flat Bar, Square, Rectangular, or Round Tubing

E-PAI's Drilling Center

- Custom Multi-Head Drill Allows for One-Day Lead Time on Multiple Drilling Projects

E-PAI MANUFACTURING

E-PAI's Total Manufacturing Service Includes Customing Glass, Finishing, and Cleaning



E-PAI's Customing Temper Glass

- E-PAI's Urethane Bonding Provides Attachment Without Mechanical Fasteners for a Cleaner, More Modern Appearance
- American Ultraviolet Co., Ultraviolet Bonding for Bonding Glass to Metal Without Mechanical Fasteners

E-PAI's Assembly Center

- Once Your Parts are Manufactured E-PAI's Assembly Center Can Put Them Together



E-PAI's Finishing and Polishing Department

- We Offer Finishing Capabilities for Aluminum, Brass, Stainless Steel, and More
- We Can Apply Brushed, Satin, and Hairline Finishes
- We Offer Polishing Capabilities for Aluminum, Brass, Stainless Steel, and More
- Almost Any Size or Length
- Climate Controlled Environment

E-PAI'S Cleaning Department

- Custom Designed Ultra Sonic Cleaner
- Capacity to Clean Parts After Finishing or Prior to Painting

Choose E-PAI as Your Manufacturer from Start to Finish

E-PAI Painting Center Now Includes SPaylat NEWLARTM with E-PAI as an Approved Applicator

- 100% Fluoropolymer Architectural Powder Coating
- Performs to AAMA 2605 Without the Use of Primer
- Green Technology -No VOC's/Hazardous Waste
- Superior Scratch and Abrasion Resistance
- Exceptional Chemical Resistance
- 15-Year Performance Warranty
- Powder Coating Up to 20 foot (6 m) Lengths
- Ability to Paint Any Architectural Color on the Market

E-PAI's determination to meet the demands of today , 's challenges for superior performing architectural products and environmentally friendly application properties has been achieved through Spraylat's NEWLARTM which offers superior mechanical properties , has a harder finish , and resists scratching and marring during fabrication , assembly and installation . NEWLARM is warranted for 15 years when applied by approved applicator E-PAI Company

E-PAI Additional Services Include:

- A Staff of Engineering Professionals Willing to Work With You to Achieve Maximum Quality Products
- E-PAI's Worldwide Volume Purchasing Power on Materials
- Cutting Services for Production and Custom Order Jobs
- Batch Manufacturing for Reduced Turnaround Times and Costs per Unit
- Expert Packaging and Worldwide Shipping

Your Best Choice in a Manufacturing Partner

When looking for a manufacturer to make your idea or concept into a marketable product , you can choose E-PAI Manufacturing with confidence . We at E-PAI know that our years of experience , our modern technology , and our commitment to excellence can be your best choice for a partner In manufacturing



E-PAI Automated Painting Center



- Automated Powder Coat Line for Black Paint
- Washer , Dryer , Powder Application , and Oven for Lengths Up to 48 (1219 mm)

Why do you choose us?

- (1) We have more than 22 years experience specialized in Stair and Handrail area.
- (2) Our factory products are exported to more than 86 countries.
- (3) We have our own sales team and designer team, so we offer you professional serve.
- (4) Most of our balustrade accessories are solid or deceasing (fabricate) , Quality is very good.
- (5) we can supply full range and varity products of your home decoration, so one-stop source can save cost.
- (6) Small quantity trial order is welcome
- (7) Products can be customized according to client' s requirements.
- (8) Our product are easy to install, most of handrail can be DIY fixed by no experience worker.
- (9) High quality control and Promptly delivery

Are you a trader or manufacturer ?

Of course, we are a factory. We have 22 years of production experience. The factory is located in the stainless steel (hardware building materials) production base-Foshan City. We welcome you to come to the factory to guide your work at any time. We are the professional manufacturer, welcome to our factory and showroom before you place order.

What grades of stainless steel do you use ?

We use commercial grades AISI 304 for internal applications and AISI 316 for external applications. You can mix depending upon the environment of your installation. If you have insufficient budget and use it indoors and in a non-humid environment, you can choose 201 stainless steel.

What diameter is the handrail ?

The tubes have outside diameters of 38.1mm, 42.4mm, 48.3mm and 50.8mm.

How high should my balustrade be ?

We should consider two situation.

- 1) Flat railing standard height, 1100mm, 1200mm or 1300mm from the ground.
- 2) Staircase railing standard height, 900mm or 950mm from each step.

How thickness is the handrail?

The wall thickness of the post is 2mm (diameter 42.4mm), 2.6mm (diameter 48.3mm) and 3mm (diameter 50.8mm). Handrail pipe thickness is 1.5mm.

I want the banister to go on my left hand wall is this possible ?

Yes, it can go on either wall depending which way round you put it. Just turn it around, lengthways.

I want to fit a new handrail. Where do I measure from ?

If it's a banister rail replacement, just measure your existing one. If it's a balustrade that you're after, please send us your design in the form of a dimensional sketch or drawing.

Do you have a new product that could be made by E-PAI ? Need help with a current products ? Contact us

We welcome the opportunity to serve you, and are committed to providing your business with the services that produce quality products. To discuss the possibility of working with E-PAI manufacturing we invite you to contact E-PAI technical sales at +86(757)85751892 in the China. To send e-mail go to service@epai-hardware.com, click on contact us.

FAQ

How do you package the goods?

The balustrade and hardware accessories are packaged separately by cartons, glass and wooden components are packaged by the wooden box Long stainless steel pipes are packaged by the fiber bags

What is the convenient way to pay?

- (1) In generally, Our usual terms of payment is One Touch, T/T, Western Union, Paypal.
- (2) If other way for payment is more convenient for you, we will try our best to support you

Can you provide us the goods according to our drawing?

All the railing and the staircase can be custom made in our factory, Please provide us your drawing, then we can make it according to your drawing.

What details should be offer in the first inquiry ?

The following details are very important in the first inquiry

- (1) Which material of stainless steel you want?
- (2) Which items of our products are you interested in?
- (3) How many quantity you want?
- (4) We are more pleased to receive product drawings or fabrication drawing, if you can't , you can offer the photo of your project, our professional designer would inform you what we should need?

What is about the delivery time?

In general speaking, the delivery time is about 30 days.

How about the shipment ?

- (1) small quantity you can choose by air
- (2) less than one container you can choose LCL shipment by sea
- (3) one container or more than one container you can choose FCL shipment by sea.

E-PAI MANUFACTURING

1997-1998

START A BUSINESS



1997 - Established "New Hua Bao Hardware Decoration Materials" in Foshan, sold "NHB" luxury door handle and gated hardware products, the company successfully started from scratch and hold the foot in the market, the product initially recognized by the market.

1998 - The company opened "New Hua Bao Hardware Factory", plant area of 400 square meters, began production for sale "NHB" luxury door handle.

1999-2000

TRANSFORMATION



1999- the company formulated innovative product strategy, featured stainless steel glass door handle, and set off the trend of domestic door handle color processing. Expand production scale in the same year.

2000- the company imported the iso9001-2000 direct pull system, started production standardization process, and laid a good management foundation.

2003-2006

OPEN UP



2003- The Company adjusted its marketing strategy and started to expand its foreign markets.

2006 - Become one of the manufacturers with the largest number of stainless steel door handle export single products, and maintain the growth continuously Keep the largest single product manufacturers, a leading manufacturer.

2009-2010

Profession



2009- In order to better control the quality of stainless steel handle, control incoming quality and put into production stainless steel pipe production line. And customer recognition.

2010 - EPAI PIPECO, established!

2016-2017 At the same time of rapid development, the company has vigorously grasped the management and upgrading work. The entire line of management is introduced into the ISO9001-2008 management system and integrated into the advanced ERP management system. Enhance management and quality control as the company's top priority. Stair railings and glass bathroom hardware have also been developed. High quality and innovative product design have won stable orders from customers. The entire line of products are exported to more than 78 countries and regions around the world.

2016-2017

Strengthen management



2014 -2015 The branches have developed smoothly, and the quality of the door handle and stainless steel pipe is better than that of the peers, and has been developed at a high speed. Door handles exported 720000 to become the industry's first brand. The annual sales volume of stainless steel pipes exceeded 10,000 tons.

2014-2015

Smooth development



2013- Once again, the company expanded its production and moved into a new modern and modern factory building covering an area of 30,000 square meters. Invested in the new 26 precision automatic stainless steel production lines, the export value of the year exceeded 12 million US dollars.

2013

Expand production



2011- Increase investment, purchase 10 precision automatic stainless steel pipe production lines, monthly sales of 300 tons.

2012-, put into production "EPAI UNION" building hardware factory, producing all kinds of stainless steel bathroom clip, stainless steel staircase accessories.

2011-2012

Increase Investment



2018-2019 EPAI is fully committed to becoming a nationally renowned brand of stainless steel building materials, with the goal of production and sales and customer satisfaction as the first goal, practicing the spirit of mindfulness, altruism and virtue, and building the first brand platform of stainless steel building materials industry!

2018~2019

MISSION



Continue to innovate

Strengthen product innovation, improve the full chain layout of building materials, glass, and hardware through automated production, and optimize the industrial structure

2023-2024

Create a timeless stainless masterpiece

Become an excellent stainless steel building chain supply and service provider

Future

EPAI

MISSION & GOAL

Producing first-class products and cultivating top talents .
Creating a happy working environment to make all staff grow up and realize their own value & starting the capital market operation successfully .





—— 诚待天下客 · 质赢用户心 ——

NEW ERA, NEW MISSION, NEW JOURNEY

EPAI focuses on becoming a leading company in the field of stainless steel building materials, and develops healthily

Introduction

E-pai has been committed to the stainless steel architectural hardware industry for 31 years, started its business for 23 years, and entered into foreign trade for 17 years. Epai only does one thing- becoming one of the outstanding enterprises in the field of stainless steel building materials depth and becoming the pride of Chinese enterprises.

E-pai has been deeply developing stainless steel architectural hardware. Starting from stainless steel door handle, EPAI focuses on strict quality control, continuous innovation, perfect system management, strong technical support, mature supply chain, and professional service. Since 2009, and successfully replicated to high-end stainless steel tubes, stair railing systems and accessories, bathroom hardware products and systems. Now four series of products in many years of cultivation emerging, the world's 86 countries and regions customers praise and loyal cooperation support. Among them, there is no lack of some transnational famous brands, regional first, industry leading enterprises.

In "sincerity to maintaining truthful, quality win customers heart, accept eight party goods" business philosophy under the guidance, will, as always, adhere to the ISO9001-2015 management system, to do a good job of each item to meet customer demand, strongly expand to become excellent stainless steel building materials comprehensive results of each solution provider, committed and enterprise development.

To build an internationally renowned brand, to provide employees with opportunities for material and spiritual growth, and through our joint efforts, to promote the harmonious progress of the society and people. Create a "happy work, happy life" E-pai platform, toward the goal of building a centenary enterprise and strive hard!

Contact us: manager@epai-hardware.com

Our solutions are 7*24 (7 days & 24 hours) Always there for you !

EXTRAORDINARY,QUALITY,WITHIN REACH...



一派从事不锈钢建筑五金行业 31 年，创业 23 年，对外贸易 17 年。Epai 只做一件事——成为不锈钢建材领域的优秀企业之一，成为中国企业的骄傲。

一派公司一直致力于不锈钢建筑五金件的开发。以不锈钢门把手为起点，严把质量关，不断创新，完善的系统管理，强大的技术支持，成熟的供应链，专业的服务。自 2009 年以来，又成功复制到高端不锈钢管、楼梯扶手系统及配件、卫浴五金产品及系统。现四大系列产品在多年的培育中崭露头角，得到世界 86 个国家和地区客户的好评和忠诚的合作支持。其中不乏一些跨国知名品牌、区域第一、行业领先的企业。

在“诚信为本、质量赢客户心、收八方货”的经营理念指导下，将一如既往地坚持 ISO9001-2015 管理体系，做好每一项工作，满足客户需求，大力拓展成为优秀不锈钢建材综合成果的各解决方案提供商，致力于企业的发展。

打造国际知名品牌，为员工提供物质和精神成长的机会，通过我们的共同努力，促进社会和人民的和谐进步。打造“快乐工作，快乐生活”的 E-pai 平台，朝着建设百年企业的目标努力奋斗！

联系我们: manager@epai-hardware.com

我们的解决方案是 7*24 (7 天 24 小时) 随时为您服务！

新时代—新使命—新征程
一派公司聚焦成为不锈钢建材纵深领域领先的企业，健康发展

E-PAI MANUFACTURING



1 我们的使命

打造匠心正念团队、造匠心优质产品，装点大千世界，使企业、员工、客户持续发展、成长。

2 持续遵循正念、利他、厚德创业精神理念。

3 我们的核心价值观

- 灵活服务于每一个客户。
- 廉洁。
- 高效率。
- 关心客户。
- 学习。
- 敬业。
- 奉献。
- 追求自我实现和认知。
- 开放性和自然性。
- 信任。

4 五项工作原则评估我们的决策与忠诚：

- 通过开放的充分的沟通，制定最严格的质量标准、服务。
- 敬业，让客户感受到我们的热情。
- 提供良好的工作气氛和彼此尊重。
- 忠诚，对社会产生积极影响。
- 我们的核心价值观是未来盈利及成功的必要条件。

5 我们对敬业精神的理解

- 对知识的深切渴望，从本质开始，渗透到每一个细节。理解产品的质量与服务的重要性。
- 对自己严格要求。
- 深入了解客户。
- 持续提高自己的专业知识。
- 从不停下了自满，要不断学习增值。
- 尽可能快速和有效的工作，节约客户的金钱和时间。

6 我们的愿景

打造永恒不锈钢杰作，让一派成为优秀的不锈钢建材全链供应商与服务商。

7 我们对良好的工作气氛的理解

- 我们了解合作伙伴的需求。
- 经常与客户保持沟通联系。
- 深入了解客户的需求。
- 创新服务方式。
- 有效的沟通。
- 优产品，优服务。
- 持续改进感受的服务，永不满足于现状，让客户对我们的工作感到满意。
- 我们必须不断努力超越客户的期望值。
- 对待客户就像对自己一样。

8 我们对于开放的充分的沟通的理解

- 我们总是为我们的客户着想。
- 我们不接受与员工及客户之间的虚假关系。
- 我们不欺骗客户，员工和自己。
- 我们不虚空的声明与承诺。
- 开放地和适度地自然地表现我们正在做的事情。

9 我们对忠诚的理解

- 诚实对待所有人（客户、合作伙伴、工作人员）
- 我们羞于做羞耻的事情。
- 关心客户的需求和利益。
- 适当的优先顺序：客户、员工、自己。
- 正当的收入来源。
- 从不以次充好。
- 多种形式的适当沟通。
- 实现对员工的承诺，满足客户的需求。
- 发现员工的优点。
- 根据员工和客户的情况给予帮助。

E-PAI MANUFACTURING

1 Our mission

The ingenuity of the team, the creation of quality products, so that enterprises, employees, customers continue to develop and grow.



2 Continue to follow the entrepreneurial spirit of mindfulness, altruism, and virtue.

3 Our core values

- Flexibility to serve every customer.
- Integrity.
- High efficiency.
- Caring for customers.
- Learning and dedication
- Dedication
- Pursue self-realization and cognition.
- Openness and naturalness.
- Trust

4 Five working principles assess our decision-making and loyalty:

- Through the open and thorough communication, the most stringent quality standards and services are formulated.
- Dedication, let customers feel our enthusiasm.
- Provide a good working atmosphere and respect each other.
- Loyalty has a positive impact on society.
- Our core values are a necessary condition for future profitability and success.

5 Our understanding of open and adequate communication

- We always think about our customers.
- We do not accept false relationships with employees and customers.
- We don't deceive ourselves, our customers, our employees.
- We are not shorting statements and commitments.
- Openness and moderation naturally represent what we are doing.

6 Our vision

- Create a timeless stainless masterpiece and become an excellent supplier and service provider of stainless steel building materials.

7 Our understanding of professionalism

- The deep desire for knowledge begins with the essence and permeates every detail. Understand the quality of the product and the importance of the service.
- Strict requirements for yourself.
- Gain insight into customers.
- Continue to improve your expertise.
- Never stop complacent, and constantly learn to add value.
- Save money and time as much as possible by working as quickly and efficiently as possible.

8 Our understanding of a good working atmosphere

- We understand the needs of our partners.
- Always keep in touch with customers.
- Gain insight into customer needs.
- Innovative service methods.
- Effective communication.
- Excellent products, excellent service.
- The service that continuously improves the feelings is never satisfied with the status quo and makes the customers satisfied with our work.
- We must constantly strive to exceed customer expectations.
- Treating customers is like being yourself.

9 Our understanding of loyalty

- Treat everyone honestly (customers, partners, staff)
- We are ashamed to do shameful things.
- Care about the needs and interests of our customers.
- Appropriate priorities: customers, employees, and yourself.
- A legitimate source of income.
- Never shoddy.
- Various forms of proper communication.
- Achieve commitment to employees and meet customer needs.
- Discover their strengths.
- Help according to the situation of employees and customers

E-PAI's HONOR



出口量的行业领导地位

INDUSTRY LEADERSHIP IN EXPORT VOLUME

Deeply cultivated in the industry for more than 31 years

在行业内深耕逾 31 多年

100%

100% Products are No.1 export in five continents and regional markets
Among them, five series of items are for sale NO.1
产品在五大洲、地区市场热销其中，五个系列单品为销售 NO.1

Exceed 超过

13,341,311 副 pair

Handle 拉手

More than 逾

76,827 吨 ton

Stainless steel pipe 不锈钢管

And 和

19,345 百米 Hundred meters

Stair railings 楼梯栏杆

Business all over 业务遍布

86 regional markets


86 个地区市场

The above data is as of November 2019
以上数据截止于 2019 年 11 月



- 1 Malaysia
- 2 Singapore
- 3 Thailand
- 4 Brazil
- 5 New Zealand
- 6 U.S.A
- 7 Germany
- 8 Italy
- 9 Indonesia
- 10 India
- 11 Japan
- 12 Sri Lanka
- 13 South Africa
- 14 Egypt
- 15 Algeria
- 16 Ethiopia
- 17 Ukraine
- 18 Russia
- 19 France
- 20 Lebanon
- 21 Iran
- 22 Pakistan
- 23 Australia
- 24 Brunei
- 25 Holland
- 26 United Kingdom
- 27 Turkey
- 28 U.A.E
- 29 Jordan
- 30 Cyprus
- 31 Saudi Arabia

E-PAI MANUFACTURING



Superior materials: quality begins at the source

Expertise on stainless steel products 1

WHY DO WE NEED TO USE SPECIAL QUALITY PIPES TO PRODUCE OUR DOOR HANDLES AND BALUSTRADES

Robust and convenient packaging

In order to allow customers to get the steel pipe, the use is more convenient, the product is not damaged, we have done a lot of research work to ensure. From the beginning of the production of the pipe, we have conducted a special study in consideration of every link in the installation of the railing. This is a problem that we pay special attention to, to ensure the production of qualified quality products, the bad factors caused by packaging, the collisions caused by short-distance transportation, and the problems arising from shipping, etc., comprehensively considering the combination of product quality and cost, and finally got the most Good packaging method:

- **Each tube is placed inside a plastic sleeve.**

The plastic sleeve is the whole production, not the disjointed splicing. The tube is well protected in the plastic sleeve and there are no unnecessary scratches, so that you get the perfect ideal tube.

- **The package can withstand all kinds of bad weather such as rain, frost, snow and heat.**

On rainy days, the tube can be hidden, no further packaging is required, the package is taken out of the package, dried with a cloth and dried properly, and it can be processed immediately.

- **Our packaging**

Unlimited storage in dust, dirt, and oil felt environments. Although the exterior of the package is dirty, when you peel off the cartridge, it will shine like a new one without wiping the surface. Although it is placed for a while, it does not affect the easy making of money.

- **Each tube is packaged in color coded**

The black mark means the "EPAI" tube and the anti-counterfeit laser stamp is attached to the tube. The red mark is the super product. The "epipes" blue mark means the 201 product, which will never make you wrong when used. The product is always your most assured product.

- **Each product has a label that you can easily identify**

Each product will have a label corresponding to the standard and requirements, and it is not easy to make mistakes when shipping to your warehouse. If you have a malicious change, please rest assured that we also have corresponding trademarks and logos on the products. Our products have excellent surface treatment and reliable packaging, so you can use them with confidence.

E-PAI MANUFACTURING



- **We can also provide the convenience of short-sized tubes for individual customers.**

There are many customers who use stainless steel pipes for stair railings and handrails, and often use short-sized stainless steel pipes. We have designed some unique suggestions to make the pipe lengths 3.8 meters and 4.3 meters. In this way, you can save your budget for purchasing projects, and it is more convenient to buy the stair railings that we have tailored for you. The standard for the pipe market is 6 meters long, so this is good for your production and sales. We also have matching railings and armrests for you to use and purchase. Therefore, you can professionally solve the problems in the design and installation of stair railings, really saving you the cost of installing the balustrade. We have a sales and production experience of 1 62 62 meters of balustrades, which will provide you with real convenience and the best price. You choose our factory to serve you, this is the most correct choice.

- **High-grade packaging**

We also offer our customers a package that is superior to their peers. We use high-grade packaging materials to wrap the product in a white, neat and safe outerwear. Our products stand out in many products, and you can easily see the high-quality stainless steel tubes that are wrapped safely.

- **Smart bale**

We use a lot of tape to hold the tubes together and ensure that the products are not deformed, so that they can be easily stored and transferred during transportation. You can easily arrange them neatly, which saves your warehouse space.

- **The innovative design of the package will take into account the convenience of carrying staff.**

We specialize in what kind of specifications, how many bundles, and can be safely shipped and placed. We have studied the number of ways that our customers can sell and use the most convenient way, even if they don't break the package, they can be sold and put into use.

- **Every nozzle we pass special treatment**

We have strict quality control and process control, and the nozzle does not occur because the chemical composition of chromium and nickel changes after cutting, which causes the edge to rust.

- **Further protection of our packaging**

According to our statistics, there are 64% of cases where the packaged packaging tape is easy to break. Therefore, we have taken care to avoid packaging damage in the medium term, so each package has an extra bandage at the top edge that effectively protects the outside from damage to the stainless steel tube and packaging.



E-Pai Manufacturing

- Making Quality Products For Almost 24 Years
- User Of Progressive PDCA Manufacturing Processes
- Mechanical And Technical Expertise Available To Assist Your Manufacturing Processes
- Strictly Contro Quality Management,We Produce Stainless Steel Pipes By Ourselves

• Excellent surface quality

We will strictly polish the handrails, although it is difficult to find scratches at a distance of 2cm. It is necessary to know that the anti-rust properties of stainless steel contain a large amount of anti-corrosive chemical elements such as chromium and nickel, and good surface treatment can also effectively enhance the corrosion resistance.

• High standard mirror finish to 800# (8K).

Our high standard finishes meet the demanding and demanding customer requirements for surface treatment. The product will look like a mirror, so you don't have to re-polish the stainless steel tube that makes the stair rails.

• Ingenious craftsmanship ensures that the weld has no hand welds and is hard to find with the naked eye.

Our special welding process, leading technology and industry level, is difficult to find with the naked eye, and has a comfortable and comfortable feel.

• Confident and firm luster

Our 8K series stainless steel tubes are truly mirror-finished, the highest standard in the industry, with brightness and finish really reaching 800#. Please note that this is not chrome plating, but the results of our many years of production experience and a large number of experiments, and really do it for you.

• How does EPAI regulate the marking of stainless steel pipes?

《Prima》 the corresponding product is Aisi201

《Super》 the corresponding product is Aisi304

《Ultra》 the corresponding product is Aisi316L


• For the thickness identification of stainless steel tubes:

- 《5》 -Such as pipe thickness 2mm, prima5, super5, Ultra5;
- 《4》 -Such as pipe thickness 1.7mm, prima4, super4, Ultra4;
- 《3》 -Such as pipe thickness 1.5mm, prima3, super3, Ultra3;
- 《2》 -Such as pipe thickness 1.35mm, prima2, super2, Ultra2;
- 《1》 -Such as pipe thickness 1.2mm, prima1, super1, Ultra1;
- 《0》 -Such as pipe thickness 1.0mm, prima0, super0, Ultra0;

• For the definition of the quality of stainless steel tube polishing:

- 《+》 Premium polishing method, 800# level;
- 《-》 Conventional polishing method, 600# level;
- 《—》 Degraded polishing method, 500# level;

For example: the diameter is 16 round tubes, the material is AISI316L, the wall thickness is 1.5 thick, and the surface treatment is 600#.



Shipping Mark: OMH Item Name: SUPER 3 Material: SUS304 Finish: PSS Size: 10*30*1.5 Length: 6000mm Total N.W: 填每扎净重 Kgs Total G.W: 填每扎净重 Kgs Total QTY: 填每扎支数 pcs	Shipping Mark: OMH Item Name: Ultra 1 Material: SUS304/SUS316 Finish: SSS Size: 10*30*1.2 Length: 6000mm Total N.W: 填每扎净重 Kgs Total G.W: 填每扎净重 Kgs Total QTY: 填每扎支数 pcs
--	---

30*10 亮光外标签

30*10 砂光外标签

QUALITY CONTROL OF PARTS OF THE PRODUCT



Strictly implement the quality management system "ISO9001-2015"

Each product is manufactured by EPAI to ensure that each product is qualified to meet customer needs. The company's development process and production process are controlled by the strict quality management system "ISO9001-2015" quality system. Over the years, a large number of spare parts have been put into the stainless steel railing project, which has been recognized by customers and can quickly occupy the market position. Can prove this.

It is no secret that most of the world's most cost-effective products are manufactured in China. We have absorbed the technology of Western countries such as Germany and tried to produce the highest quality products. When we are in the production process, most of our products are exported to all parts of the world, while some foreign quality requirements and correct internal control systems are also guided by these trained professionals in a high standard, we extract 4 important methods and stages of product quality control;

• Do a good job in incoming inspection;

Each batch of products is analyzed by precision spectroscopic analysis at the beginning of production, and then put into the workshop after meeting the requirements. This is a very important link that plays a fundamental role in quality control throughout the production process. We will conduct a quality assessment of 10 suppliers and select 2 suppliers that can meet all of our requirements. They will never neglect the quality requirements for the sake of cheapness. Only with the common values of product quality can we become our qualified suppliers.

• Inspect the inspection work of each process strictly in the production process.

In the production process, the thickness and diameter of the product are strictly controlled, and strict matching is required for some matching components. If you are responsible for the product parts in the technical details, we will collect all the sample parts and components for trial installation, and even set up and test the actual 1:1 scene to ensure that the product can be easily used and installed in the hands of the customer.

For example, if the customer wants to make a glass spiral staircase, we will build a two-layer model on site with the customer's request, and perform metal and glass railings according to the actual situation to ensure that it can be installed on site. And test the pressure to ensure that the glass's pressure resistance is qualified and safe.

• We will control the quality 100% before the production is completed.

Every detail of the product will be checked by the final quality before packaging. We also do 100% inspection of important products. The conventional practice is that we will take 0.1% of the volume per batch or 1% of the sampling, but at least not less than 10 different boxes from 10 to extract the box, there is no empty space. The working specification for the sampled product is to check the size tolerance of the product, the state of the component, and so on. At least one product should be subjected to a chemical composition analysis review for each batch of goods. If any problems are found, a review component analysis will be arranged for each product.

• Products enter the warehouse - for final control

Before shipment, we will also conduct random inspections on the products to ensure the results of the first three quality control: the integrity of the packaging, the label of the whole box, to ensure that every link is guaranteed and recorded. All the records prove that we have done this work well in the past 5 years. According to our understanding, no one in the country asks for this. It is worth noting that you do not see these costs reflected in the quotation of the product, the quality product you get is only the base price of a product.



Expertise on stainless steel products 2

WHY DO WE NEED TO USE SPECIAL QUALITY PIPES TO PRODUCE OUR DOOR HANDLES AND BALUSTRADES?

The ideal material for the production of stainless steel door handles and stair railings, we use the best metal materials

Can stainless steel be truly rust-proof and corrosion-resistant?

Chromium is the main element determining the properties of stainless steel. We add chromium as an alloying element to steel to effectively enhance the corrosion resistance of steel. The role of nickel as an alloying element in stainless steel changes with the structure of high-chromium steel, thus making stainless steel Corrosion resistance is improved. EPAI stainless steel tubes are fully compliant and above international standards, so we use the best stainless steel materials for our products.

Does the stainless steel tube burst when it is bent and shaped?

In more than 20 years of production experience, EPAI has conducted intensive research on stainless steel and is well aware of its structure and composition. And the experience source is used to produce stainless steel pipe technology, making the plastic performance of the EPAI stainless steel pipe superior to the peer products. Therefore, we will ensure that the quality of pipes and products are superior to those of our peers, leading the industry to a high level.

Corrosion, special circumstances can also occur, such as high concentration of acid and alkali washing liquid, contamination with construction cement slurry, penetration of welding iron slag and point defects of products, etc., some of which may cause corrosion when the product is not well protected.

Also, a good polished surface is much more resistant to corrosion than a bad polished surface.

Stainless steel AISI 316	316 stainless steel is a kind of stainless steel. Due to the addition of Mo element, it has a great improvement in corrosion resistance and can be used under harsh conditions. UNTRA stainless steel common pipes, balustrades in coastal areas and materials used outside the building. UNTRA (AISI316L) European standard: 1.4404 Chinese standard: 022Cr17Ni12Mo2
------------------------------------	---

Stainless steel AISI 304	304 stainless steel is a common material in stainless steel with a density of 7.93 g/cm ³ , also known as 18/8 stainless steel. It has the characteristics of good processing performance and high toughness, and is widely used in industrial and furniture decoration industry and food medical industry. Building decoration materials such as stair railings are widely used in places where the requirements of the World Health Organization are required. SUPER (AISI304) European standard: 1.4301 Chinese standard: 06Cr19Ni10
------------------------------------	--

Stainless steel AISI 201	201 stainless steel, with a certain acid and alkali resistance. Mainly used for decorative tubes, industrial tubes, some shallow stretched products. The balustrades are adapted to dry indoors and clean places, such as classrooms, classrooms, and conference rooms. PRIMA (AISI201) European standard: 1.4372 Chinese standard: 12Cr17Mn6Ni5N
------------------------------------	---

Standard chemical formula



Most Of Our Products Are Made Of High Quality Stainless Steel.
We Are The Only Manufacturer In China That Has Raw Material Production And Supply!
Our Technology And Service Are Ahead Of Our Peers!



MACHINE SHOP
COVERS AN AREA OF 30000 SQUARE
METERS AND 22000 SQUARE METERS OF BUILDING

ODM&OEM

Any kinds of **Architectural Hardware**